THE ELECTRICITY COMMISSION

REGISTRY REPORT

FEBRUARY 2010

PREPARED BY: JADE SOFTWARE

08 MARCH 2010

Jade Software Corporation Limited cannot accept any financial or other responsibilities that may be the result of your use of this information or software material, including direct, indirect, special or consequential damages, or loss of profits. There are no warranties extended or granted by this document or software material.

You should be very careful to ensure that the use of this software material and/or information complies with the laws, rules, and regulations of the jurisdictions with respect to which it is used. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Jade Software Corporation Limited.

The information contained herein is subject to change without notice. Revisions may be issued to advise of such changes and/or additions.

Copyright © 2010 Jade Software Corporation Limited.

All rights reserved.

JADE is a trademark of Jade Software Corporation Limited. All trade names referenced are the service mark, trademark, or registered trademark of the respective manufacturer.

CONTENTS

1 PERFORMANCE STANDARDS 4

2 OTHER INFORMATION 7

3 SOFTWARE RELATED FIXES 8

4 DATA FIXES 9

5 SCHEDULE OF FAULTS RAISED 10

1 PERFORMANCE STANDARDS

MEASUREMENT	REQUIREMENT	ACTUAL	MET	RULE REF
Number and detail of service provider rule or agreement breaches and details	Report delivered to EC detailing breaches	0	*Yes*	
Disaster recovery and backup obligations as set out in section 5 of operational requirements			*Yes*	Section 5 Operational Requirements
Number and details of participant rule breaches	Report on 1st business day delivered to EC FTP directory	01Mar2010 at 02:15	*Yes*	
Maximum number of concurrent users for month		201	*Yes*	
During regular service hours (0730 hours to 1930 hours each day), the provider must ensure that the system is available to participants for no less than 99.5 per cent of the time in any one month.		100.00%	*Yes*	Operational Requirements 4.1 a
Outside regular service hours (between 1930 hours and 0730 hours) the provider must ensure that the system is available to participants for no less than 98.0 per cent of the time in any month		99.96%	*Yes*	Operational Requirements 4.1 b
The Registry must use its best endeavours to provide a service availability of 99.8 per cent or better, with nil or minimal outages.		99.98%	*Yes*	Operational Requirements 4.1 c
There must be no more than four unplanned outages in any one month		0	*Yes*	Operational Requirements 4.1 d
There must be no more than one planned outage, undertaken only with prior approval from the Commission, per month. Planned outages must be for no more than 2 hours' duration and must be undertaken outside regular service hours. Planned outages do not include necessary daily housekeeping and can be excluded from the calculation of availability		1 (application deploy to upgrade to Jade 6.3)	*Yes*	Operational Requirements 4.1 e
The Registry must measure service response time at regular intervals (every 1–5 minutes as agreed between the Commission and the provider) during the regular service hours			*Yes*	Operational Requirements 4.2 a

MEASUREMENT	REQUIREMENT	ACTUAL	MET	RULE REF
Response time will be measured by the provider executing a representative sample of simulated transactions from another host system, external to the Registry ISP, on the production system. The types of transaction to be used and the frequency of sampling will be agreed with the Commission			*Yes*	Operational Requirements 4.2 b
Service response time will be measured from the point at which a user transaction is executed to the point at which a valid response is received at the point the transaction originated			*Yes*	Operational Requirements 4.2 c
Ninety-five per cent of all sampled transactions will have a response time of less than 2 seconds and 80 per cent will have a response time of less than 1 second for all the components managed by the system at the delineation point of the Registry network		99.89%	*Yes*	Operational Requirements 4.2 d
Help desk available	7:30 to 19:30 hours each business day	100%	*Yes*	
Registry reports to participants day 1 09:00	09:00 hours on the first business day of the month	01Mar2010 07:12	*Yes*	Part E rule 19.1
Discrepancy reports received from Participants	16:00 hours on the 13th business day of the month	No longer reported	*N/A*	Part E rule 19.2
Issuing of confirmation notices within 4 hours of receipt of information provided			*Yes*	Part E Rule 22.1
Number of ICP's on the Registry [*1]	16:00 on the 6th business day of the month	2,152,358	*Yes*	Part E rule 23.1
Number of customers changing retailers	16:00 on the 6th business day of the month	(See "Other Information [*3]")	*Yes*	Part E rule 23.2
Such other information as may be agreed from time to time between the registry and the Board [*3]	16:00 on the 6th business day of the month		*Yes*	Part E rule 23.3
Reports to the clearing manager and systems manager by 16:00 on first business day of the month	16:00 on first business day	01Mar2010 00:51	*Yes*	Rules and Regulations Part E 24.1
By 16:00 on 4th business day deliver to the reconciliation manager the ICP days report	16:00 on 4th business day	03Mar2010 01:25	*Yes*	Rules and Regulations Part E 24.2.1

MEASUREMENT	REQUIREMENT	ACTUAL	MET	RULE REF
By 16:00 on 4th business day deliver to the reconciliation manager the loss factors report	16:00 on 4th business day	02Mar2010 00:03	*Yes*	Rules and Regulations Part E 24.2.2
By 16:00 on 4th business day deliver to the reconciliation manager the balancing area report	16:00 on 4th business day	04Mar2010 00:04	*Yes*	Rules and Regulations Part E 24.2.3
By 16:00 on 4th business day deliver to the reconciliation manager the half hour identifiers report	16:00 on 4th business day	03Mar2010 09:51	*Yes*	Rules and Regulations Part E 24.2.4
By 16:00 on 1st business day deliver to the market administrator (EC) a report summarising event that have not been notified to the registry with specified time frames [*3]	16:00 on 1st business day	01Mar2010 00:04	*Yes*	Rules and Regulations Part E 24.3
Copies of reports provided	Within 4 hours of request during business hours		*Yes*	Rules and Regulations Part E 25
Notifications or change within the registry to participants effected	Same day		*Yes*	Rules and Regulations Part E 26
Registry to publish schedule of loss category code and loss factors	Within one day of notification of change		*Yes*	Part E Schedule E1 rule 5.5
Registry to publish schedule of mapping between NSP's and balancing areas	Within 1 business day of notification of change		*Yes*	Part E Schedule E1 rule 7.3
Registry to publish schedule of all NSP identifiers and supporting information	Within 3 business days of notification of change		*Yes*	Part E Schedule E1 rule 8.3

[1*] & [2*] – these are available on-line to be viewed and/or downloaded by any participant

2 OTHER INFORMATION

The following reports/files are supplied to the EC by the 6th working day of each month (unless otherwise specified):

- ICP's energized, de-energized, decommissioned and switched by Retailer and NSP
- ICP's energized, de-energized, decommissioned and switched by Retailer
- ICP's energized, de-energized, decommissioned and switched by Retailer and NSP
- Report PR-130 as defined in functional specification
- Details of participant rule breaches (*supplied on first business day*)
- Details of participant switch breaches (*supplied on first business day*)

Other information:

CATEGORY	TOTAL
ICP Inquiries	55,226,591
ICP's changed	73,035
Customers Switched	26,559
ICP's de-energised	243
New ICP's added	2,126
ICP's decommissioned	884
ICP histories changed	303
NSP's	346

SUMMARY OF INCIDENTS

DATE	TIME	DETAIL

3 SOFTWARE RELATED FIXES

Number and details of actions carried out to correct software related problems.

ID	DESCRIPTION	SEVERITY	RESPONSE
1471	Incorrect validation in RQMACNSP update	B	Patched in release 6.10.02 (released 21/02/2010) Manually patched to production 05/02/2010
1467	Extremely large EDA file caused a memory exception when trying to sort.	B	Patched in release 6.10.02 (released 21/02/2010) Manually patched to production 11/02/2010

4

DATA FIXES

Number and details of incidents requiring data fixes.

ID	DESCRIPTION	SEVERITY	RESPONSE

5 SCHEDULE OF FAULTS RAISED

A summary of faults raised during the month.

ID	DESCRIPTION	SEVERITY	RESPONSE
1471	Incorrect validation in RQMACNSP update	B	Patched in release 6.10.02 (released 21/02/2010) Manually patched to production 05/02/2010
1467	Extremely large EDA file caused a memory exception when trying to sort.	B	Patched in release 6.10.02 (released 21/02/2010) Manually patched to production 11/02/2010
1475	Update sort option for EDA report on thin client (relates to 1467)	C	Patched in release 6.10.03 (due for release 21/03/2010)