

**ELECTRICITY INDUSTRY PARTICIPATION CODE
RECONCILIATION PARTICIPANT AUDIT REPORT**

For

HANERGY (HANE)

Prepared by: Ewa Glowacka – TEG & Associates

Date audit commenced: 15 June 2020

Date audit report completed: 14 July 2020

Audit report due date: 12-Jul-20

TABLE OF CONTENTS

Executive summary	5
Audit summary	6
Non-compliances	6
Recommendations	7
Issues 7	
1. Administrative	8
1.1. Exemptions from Obligations to Comply with Code (Section 11)	8
1.2. Structure of Organisation	8
1.3. Persons involved in this audit	8
1.4. Use of Agents (Clause 15.34)	8
1.5. Hardware and Software	8
1.6. Breaches or Breach Allegations	9
1.7. ICP Data	9
1.8. Authorisation Received	10
1.9. Scope of Audit	10
1.10. Summary of previous audit	11
2. Operational Infrastructure	13
2.1. Relevant information (Clause 10.6, 11.2, 15.2)	13
2.2. Provision of information (Clause 15.35)	14
2.3. Data transmission (Clause 20 Schedule 15.2)	15
2.4. Audit trails (Clause 21 Schedule 15.2)	15
2.5. Retailer responsibility for electricity conveyed - participant obligations (Clause 10.4)	16
2.6. Retailer responsibility for electricity conveyed - access to metering installations (Clause 10.7(2),(4),(5) and (6))	16
2.7. Physical location of metering installations (Clause 10.35(1)&(2))	17
2.8. Trader contracts to permit assignment by the Authority (Clause 11.15B)	18
2.9. Connection of an ICP (Clause 10.32)	18
2.10. Temporary Electrical Connection of an ICP (Clause 10.33)	19
2.11. Electrical Connection of Point of Connection (Clause 10.33A)	19
2.12. Arrangements for line function services (Clause 11.16)	20
2.13. Arrangements for metering equipment provision (Clause 10.36)	21
3. Maintaining registry information	22
3.1. Obtaining ICP identifiers (Clause 11.3)	22
3.2. Providing registry information (Clause 11.7(2))	22
3.3. Changes to registry information (Clause 10 Schedule 11.1)	23
3.4. Trader responsibility for an ICP (Clause 11.18)	24
3.5. Provision of information to the registry manager (Clause 9 Schedule 11.1)	25
3.6. ANZSIC codes (Clause 9 (1)(k) of Schedule 11.1)	26
3.7. Changes to unmetered load (Clause 9(1)(f) of Schedule 11.1)	27
3.8. Management of “active” status (Clause 17 Schedule 11.1)	28
3.9. Management of “inactive” status (Clause 19 Schedule 11.1)	29
3.10. ICPs at new or ready status for 24 months (Clause 15 Schedule 11.1)	29
4. Performing customer and embedded generator switching	30
4.1. Inform registry of switch request for ICPs - standard switch (Clause 2 Schedule 11.3)	30

4.2.	Losing trader response to switch request and event dates - standard switch (Clauses 3 and 4 Schedule 11.3)	30
4.3.	Losing trader must provide final information - standard switch (Clause 5 Schedule 11.3)	31
4.4.	Retailers must use same reading - standard switch (Clause 6(1) and 6A Schedule 11.3)	32
4.5.	Non-half hour switch event meter reading - standard switch (Clause 6(2) and (3) Schedule 11.3)	33
4.6.	Disputes - standard switch (Clause 7 Schedule 11.3)	33
4.7.	Gaining trader informs registry of switch request - switch move (Clause 9 Schedule 11.3)	34
4.8.	Losing trader provides information - switch move (Clause 10(1) Schedule 11.3)	34
4.9.	Losing trader determines a different date - switch move (Clause 10(2) Schedule 11.3)	36
4.10.	Losing trader must provide final information - switch move (Clause 11 Schedule 11.3)	36
4.11.	Gaining trader changes to switch meter reading - switch move (Clause 12 Schedule 11.3)	37
4.12.	Gaining trader informs registry of switch request - gaining trader switch (Clause 14 Schedule 11.3)	39
4.13.	Losing trader provision of information - gaining trader switch (Clause 15 Schedule 11.3)	40
4.14.	Gaining trader to advise the registry manager - gaining trader switch (Clause 16 Schedule 11.3)	40
4.15.	Withdrawal of switch requests (Clauses 17 and 18 Schedule 11.3)	41
4.16.	Metering information (Clause 21 Schedule 11.3)	42
4.17.	Switch saving protection (Clause 11.15AA to 11.15AB)	42
5.	Maintenance of unmetered load	44
5.1.	Maintaining shared unmetered load (Clause 11.14)	44
5.2.	Unmetered threshold (Clause 10.14 (2)(b))	44
5.3.	Unmetered threshold exceeded (Clause 10.14 (5))	45
5.4.	Distributed unmetered load (Clause 11 Schedule 15.3, Clause 15.37B)	45
6.	Gathering raw meter data	47
6.1.	Electricity conveyed & notification by embedded generators (Clause 10.13, Clause 10.24 and 15.13)	47
6.2.	Responsibility for metering at GIP (Clause 10.26 (6), (7) and (8))	47
6.3.	Certification of control devices (Clause 33 Schedule 10.7 and clause 2(2) Schedule 15.3)	48
6.4.	Reporting of defective metering installations (Clause 10.43(2) and (3))	48
6.5.	Collection of information by certified reconciliation participant (Clause 2 Schedule 15.2)	49
6.6.	Derivation of meter readings (Clause 3(1), 3(2) and 5 Schedule 15.2)	50
6.7.	NHH meter reading application (Clause 6 Schedule 15.2)	50
6.8.	Interrogate meters once (Clause 7(1) and (2) Schedule 15.2)	51
6.9.	NHH meters interrogated annually (Clause 8(1) and (2) Schedule 15.2)	51
6.10.	NHH meters 90% read rate (Clause 9(1) and (2) Schedule 15.2)	52
6.11.	NHH meter interrogation log (Clause 10 Schedule 15.2)	52
6.12.	HHR data collection (Clause 11(1) Schedule 15.2)	53
6.13.	HHR interrogation data requirement (Clause 11(2) Schedule 15.2)	53
6.14.	HHR interrogation log requirements (Clause 11(3) Schedule 15.2)	54
7.	Storing raw meter data	55
7.1.	Trading period duration (Clause 13 Schedule 15.2)	55
7.2.	Archiving and storage of raw meter data (Clause 18 Schedule 15.2)	55
7.3.	Non metering information collected / archived (Clause 21(5) Schedule 15.2)	55
8.	Creating and managing (including validating, estimating, storing, correcting and archiving) volume information	57
8.1.	Correction of NHH meter readings (Clause 19(1) Schedule 15.2)	57

8.2.	Correction of HHR metering information (Clause 19(2) Schedule 15.2)	57
8.3.	Error and loss compensation arrangements (Clause 19(3) Schedule 15.2)	58
8.4.	Correction of HHR and NHH raw meter data (Clause 19(4) and (5) Schedule 15.2)	58
9.	Estimating and validating volume information	60
9.1.	Identification of readings (Clause 3(3) Schedule 15.2)	60
9.2.	Derivation of volume information (Clause 3(4) Schedule 15.2)	60
9.3.	Meter data used to derive volume information (Clause 3(5) Schedule 15.2)	60
9.4.	Half hour estimates (Clause 15 Schedule 15.2)	61
9.5.	NHH metering information data validation (Clause 16 Schedule 15.2)	61
9.6.	Electronic meter readings and estimated readings (Clause 17 Schedule 15.2)	62
10.	Provision of metering information to the GRID OWNER in accordance with subpart 4 of Part 13 (clause 15.38(1)(f))	63
10.1.	Generators to provide HHR metering information (Clause 13.136)	63
10.2.	Unoffered & intermittent generation provision of metering information (Clause 13.137)	63
10.3.	Loss adjustment of HHR metering information (Clause 13.138)	64
10.4.	Notification of the provision of HHR metering information (Clause 13.140)	64
11.	Provision of submission information for reconciliation	65
11.1.	Buying and selling notifications (Clause 15.3)	65
11.2.	Calculation of ICP days (Clause 15.6)	65
11.3.	Electricity supplied information provision to the reconciliation manager (Clause 15.7)	66
11.4.	HHR aggregates information provision to the reconciliation manager (Clause 15.8)	66
12.	Submission computation	68
12.1.	Daylight saving adjustment (Clause 15.36)	68
12.2.	Creation of submission information (Clause 15.4)	68
12.3.	Allocation of submission information (Clause 15.5)	68
12.4.	Grid owner volumes information (Clause 15.9)	69
12.5.	Provision of NSP submission information (Clause 15.10)	69
12.6.	Grid connected generation (Clause 15.11)	70
12.7.	Accuracy of submission information (Clause 15.12)	70
12.8.	Permanence of meter readings for reconciliation (Clause 4 Schedule 15.2)	71
12.9.	Reconciliation participants to prepare information (Clause 2 Schedule 15.3)	71
12.10.	Historical estimates and forward estimates (Clause 3 Schedule 15.3)	72
12.11.	Historical estimate process (Clause 4 and 5 Schedule 15.3)	73
12.12.	Forward estimate process (Clause 6 Schedule 15.3)	73
12.13.	Compulsory meter reading after profile change (Clause 7 Schedule 15.3)	74
13.	Submission format and timing	75
13.1.	Provision of submission information to the RM (Clause 8 Schedule 15.3)	75
13.2.	Reporting resolution (Clause 9 Schedule 15.3)	76
13.3.	Historical estimate reporting to RM (Clause 10 Schedule 15.3)	76
Conclusion	78
Participant response	78

EXECUTIVE SUMMARY

This reconciliation participant audit was performed at the request of Hanergy (HANE) to support their application for certification, in accordance with clauses 4 of Schedule 15.1 of The Code 2010. The relevant clauses audited are as required by the Guidelines for Reconciliation Participants Audits V 7.2 issued by the Electricity Authority.

At the time of the audit, Hanergy was trading 206 NHH ICPs. The company uses JC Consulting's services to provide reconciliation services and updates in the registry as described in the body in this document. The functions performed by JC Consulting were audited during this audit.

The company works closely with Momentous Consulting as its consultant.

The audit found 8 non-compliances. 4 non-compliances relate to switching, all of them have a low audit risk rating.

The audit period was 01/07/19 to 31/05/20.

The date of the next audit is determined by the Electricity Authority and is dependent on the level of compliance during this audit. Table 1 of the Guidelines for Reconciliation Participant audit provides some guidance on this matter. The Future Risk Rating score is 15 which results in an indicative audit frequency of 18 months. We agree with the result.

We thank Hanergy's staff for their full and complete cooperation in this audit.

AUDIT SUMMARY

NON-COMPLIANCES

Subject	Section	Clause	Non Compliance	Controls	Audit Risk Rating	Breach Risk Rating	Remedial Action
Relevant information	2.1	11.2	Relatively low number of information inaccuracies identified during the audit	Moderate	Low	2	Identified
Changes to registry information	3.3	10 of Schedule 11.1	Late updates in the registry for two ICPs	Moderate	Low	2	Identified
ANZSIC codes	3.6	9(1)(k) of Schedule 11.1	Incorrect ANZSIC code for 2 ICPs	Moderate	Low	2	Identified
Management of “active” status	3.8	17 of Schedule 11.1	Late update to “active” for 2 ICPs	Moderate	Low	2	Identified
Losing trader must provide final information - standard switch	4.3	5 of Schedule 11.3	Incorrect switch event meter reading for 2 ICPs	Moderate	Low	2	Identified
Losing traded must provide final information – switch move	4.8	10(1) of Schedule 11.3	No AN file sent for 4 ICPs	Moderate	Low	2	Identified
Losing trader must provide final information - switch move	4.10	11 of Schedule 11.3	Incorrect switch event meter reading for 35 ICPs	Moderate	Low	2	Identified
Gaining trader changes to switch meter reading - switch move	4.11	12 of Schedule 11.3	1 RR file late	Strong	Low	1	Identified
Future Risk Rating						15	
Next audit date						18 months	

Future risk rating	0-1	1-3	4-15	16-40	41-55	56+
Indicative audit frequency	36 months	24 months	18 months	12months	6 months	3 months

RECOMMENDATIONS

Subject	Section	Description	Recommendation
Data transmission	2.3	Participant reads are provided to JC Consulting via email	Use Dropbox or other more secure media to transfer participant reads from Hanergy to JC Consulting

ISSUES

Subject	Section	Description	Issue
			Nil

1. ADMINISTRATIVE

1.1. Exemptions from Obligations to Comply with Code (Section 11)

Code reference

Section 11 of Electricity Industry Act 2010.

Code related audit information

Section 11 of the Electricity Industry Act provides for the Electricity Authority to exempt any participant from compliance with all or any of the clauses.

Audit observation

Hanergy did not apply for any exemptions

Audit commentary

We checked the Electricity Authority website and confirm that there are no exemptions in place.

1.2. Structure of Organisation

The company consist of two directors, Melody Chen, and Brandon Liang.

1.3. Persons involved in this audit

Name	Title	Company
Brandon Liang	Director	Hanergy
John Candy	Director	JC Consulting
Ewa Glowacka	Electricity Authority Approved Auditor	TEG & Associates

1.4. Use of Agents (Clause 15.34)

Code reference

Clause 15.34

Code related audit information

A reconciliation participant who uses an agent

- *remains responsible for the contractor's fulfilment of the participant's Code obligations*
- *cannot assert that it is not responsible or liable for the obligation due to something the agent has or has not done*

Audit observation

Hanergy uses JC Consulting to create and submit files to the reconciliation manager.

Audit commentary

As a part of this audit we audited work done by JC Consulting as Hanergy s agent. Details are in the relevant parts of this audit. Hanergy understand their responsibilities in relation to this clause.

1.5. Hardware and Software

The main systems are as follows:

- Switching is conducted via web interface.
- Access Database (RM TOOL) provided and run by JC Consulting for NHH submissions.

1.6. Breaches or Breach Allegations

There were no breaches or breach allegations lodged against Hanergy in the period covered by this audit.

1.7. ICP Data

Metering Category	(04/06/20)	(2019)	(date)
1	208	69	
2	1	0	
3	0	0	
4	0	0	
5	0	0	
9	1	0	

Status	Number of ICPs (04/06/20)	Number of ICPs 27/06/19)	Number of ICPs (date)
Active (2,0)	205	67	
Inactive – new connection in progress (1,12)	0	0	
Inactive – electrically disconnected vacant property (1,4)	4	0	
Inactive – electrically disconnected remotely by AMI meter (1,7)	0	0	
Inactive – electrically disconnected at pole fuse (1,8)	0	0	
Inactive – electrically disconnected due to meter disconnected (1,9)	1	1	
Inactive – electrically disconnected at meter box fuse (1,10)	0	0	
Inactive – electrically disconnected at meter box switch (1,11)	0	0	
Inactive – electrically disconnected ready for decommissioning (1,6)	0	0	
Inactive – reconciled elsewhere (1,5)	0	0	
Decommissioned (3)	0	0	


1.8. Authorisation Received

Authorisation letter was not required.

1.9. Scope of Audit

This reconciliation participant audit was performed at the request of Hanergy. Clause 2B of Schedule 15.1 puts the obligation on the reconciliation participant to obtain Authority approval before performing a function listed in clause 15.38(1) without certification. The audit was carried out at Hanergy's office in Auckland on 15 July 2020.

The table below shows the tasks under clause 15.38 of part 15 for which Hanergy requires certification.



Tasks Requiring Certification Under Clause 15.38(1) of Part 15	Relevant to audit	Agents Involved in Performance of Tasks
(a) - Maintaining registry information and performing customer and embedded generator switching	✓	
(b) – Gathering and storing raw meter data	✓	
(c)(i) - Creation and management of HHR volume information	✗	
(c)(ii) - Creation and management of NHH volume information	✓	JC Consulting
(c)(ii) - Creation and management of HHR and NHH volume information	✗	
(c)(iv) - Creation and management of dispatchable load information	✗	
(d)(i) – Calculation and delivery of ICP days under clause 15.6	✓	JC Consulting
(d)(ii) - delivery of electricity supplied information under clause 15.7	✓	JC Consulting
(d)(iii) - delivery of information from retailer and direct purchaser half hourly metered ICPs under clause 15.8	✓	JC Consulting
(e) – Provision of submission information for reconciliation	✓	JC Consulting

1.10. Summary of previous audit

The previous audit was conducted by Ewa Glowacka of TEG & Associates on 11 July 2019. The following non-compliances were identified:

Subject	Section	Clause	Non Compliance	Comment
Changes to registry information	3.3	10 of Schedule 11.1	Late updates in the registry for two ICPs	Still exist
Management of “active” status	3.8	17 of Schedule 11.1	The status of one ICP was changed to “active” after 9 business days	Still exist
Management of “inactive” status	3.9	19 of Schedule 11.1	The status of one ICP was changed to “inactive” after 46 business days	Cleared

Electricity supplied information provision to the reconciliation manager	11.3	15.7	Energy supplied is currently calculated by JC Consulting from the previous months Initial Network volumes	Cleared
--	------	------	--	---------

2. OPERATIONAL INFRASTRUCTURE

2.1. Relevant information (Clause 10.6, 11.2, 15.2)

Code reference

Clause 10.6, 11.2, 15.2

Code related audit information

A participant must take all practicable steps to ensure that information that the participant is required to provide is:

- a) complete and accurate*
- b) not misleading or deceptive*
- c) not likely to mislead or deceive.*

If the participant becomes aware that in providing information under this Part, the participant has not complied with that obligation, the participant must, as soon as practicable, provide such further information as is necessary to ensure that the participant does comply.

Audit observation

We checked the Audit Compliance Summary Report for the audit period, the LIS, EDA and PR255 files 15/04/2020

Audit commentary

The number of information inaccuracies identified during the audit are noted below

Section	Registry Discrepancy
3.3	Backdated update of 2 ICPs to “active” status
3.5	2 ICPs have incorrect ANZSIC code
4.3 & 4.8	CS files – a switch event meter reading was incorrect

Audit outcome

Non-compliant

Non-compliance	Description		
Audit Ref: 2.1 With: 11.2 From: 01-Jul-19 To: 31-May-20	Relatively low number of information inaccuracies identified during the audit Potential impact: Low Actual impact: Low Audit history: None Controls: Moderate Breach risk rating: 2		
Audit risk rating	Rationale for audit risk rating		
Low	The controls are rated as moderate as they require some improvement. There was minor impact on settlement. Audit risk rating low		
Actions taken to resolve the issue		Completion date	Remedial action status
Hanergy found few small issues during the switch progress, miscommunication between the customer, our staff and retailers when we doing the switch. All mistakes have now been updated on the registry.			Identified
Preventative actions taken to ensure no further issues will occur		Completion date	
Hanergy will continue to improve our communications between customer, staff and retailer to avoid the issues happens again			

2.2. Provision of information (Clause 15.35)

Code reference

Clause 15.35

Code related audit information

If an obligation exists to provide information in accordance with Part 15, a participant must deliver that information to the required person within the timeframe specified in the Code, or, in the absence of any such timeframe, within any timeframe notified by the Authority. Such information must be delivered in the format determined from time to time by the Authority.

Audit observation

Processes to provide information to the reconciliation manager were reviewed and assessed throughout this document. JC Consulting acts as the agent for Hanergy to provide information in accordance with Part 15.

Audit commentary

Compliance with this area was discussed in a number of relevant sections. Compliance was confirmed with regards to timeliness and format of information in accordance with Part 15.

Audit outcome

Compliant

2.3. Data transmission (Clause 20 Schedule 15.2)

Code reference

Clause 20 Schedule 15.2

Code related audit information

Transmissions and transfers of data related to metering information between reconciliation participants or their agents, for the purposes of the Code, must be carried out electronically using systems that ensure the security and integrity of the data transmitted and received.

Audit observation

JC Consulting downloads data from MEPs servers. 4 ICPs are read by the participant.

Audit commentary

Once metering data is downloaded from the service providers servers it is uploaded to the RM TOOL.

The data transfer process was reviewed during the MEPs audit and found compliant.

4 ICPs are read by Hanergy. Photos of a switchboard showing the register read are sent to JC Consulting via email. Our recommendation is to use Dropbox or passworded email.

Audit outcome

Compliant

Description	Recommendation	Audited party comment	Remedial action
Participant reads are provided to JC Consulting via email	Use Dropbox or other more secure media to transfer participant reads from Hanergy to JC Consulting		

2.4. Audit trails (Clause 21 Schedule 15.2)

Code reference

Clause 21 Schedule 15.2

Code related audit information

Each reconciliation participant must ensure that a complete audit trail exists for all data gathering, validation, and processing functions of the reconciliation participant.

The audit trail must include details of information:

- *provided to and received from the registry manager*
- *provided to and received from the reconciliation manager*
- *provided and received from other reconciliation participants and their agents.*

The audit trail must cover all archived data in accordance with clause 18.

The logs of communications and processing activities must form part of the audit trail, including if automated processes are in operation.

Logs must be printed and filed as hard copy or maintained as data files in a secure form, along with other archived information.

The logs must include (at a minimum) the following:

- *an activity identifier (clause 21(4)(a))*
- *the date and time of the activity (clause 21(4)(b))*
- *the operator identifier for the person who performed the activity (clause 21(4)(c)).*

Audit observation

We checked the audit trail for all data gathering, validation, and correction.

Audit commentary

JC Consulting retains an audit trail of downloaded data via FileZilla.

The audit trail of reconciliation files is recorded by the RM portal.

The audit trail of data validation, estimation and creation of reconciliation files is recorded in the RM TOOL.

We confirmed, during the JC Consulting audit, that the audit trail for data gathering, validation and processing functions is archived. For any changes to data, logs are created showing the date and time of the activity, an activity identifier, and the operator identifier.

Audit outcome

Compliant

2.5. Retailer responsibility for electricity conveyed - participant obligations (Clause 10.4)

Code reference

Clause 10.4

Code related audit information

If a participant must obtain a consumer's consent, approval, or authorisation, the participant must ensure it:

- *extends to the full term of the arrangement*
- *covers any participants who may need to rely on that consent.*

Audit observation

We reviewed the Terms and Conditions provided by Hanergy.

Audit commentary

The document was reviewed by the Authority. The Terms and Conditions provide the relevant information for a customer to meet the requirements of this clause.

Audit outcome

Compliant

2.6. Retailer responsibility for electricity conveyed - access to metering installations (Clause 10.7(2),(4),(5) and (6))

Code reference

Clause 10.7(2),(4),(5) and (6)

Code related audit information

The responsible reconciliation participant must, if requested, arrange access for the metering installation to the following parties:

- *the Authority*
- *an ATH*
- *an auditor*
- *an MEP*
- *a gaining metering equipment provider.*

The trader must use its best endeavours to provide access:

- *in accordance with any agreements in place*
- *in a manner and timeframe which is appropriate in the circumstances.*

If the trader has a consumer, the trader must obtain authorisation from the customer for access to the metering installation, otherwise it must arrange access to the metering installation.

The reconciliation participant must provide any necessary facilities, codes, keys or other means to enable the party to obtain access to the metering installation by the most practicable means.

Audit observation

We reviewed the Terms and Conditions provided by Hanergy.

Audit commentary

The Terms and Conditions contain the required information for access arrangements. It is covered in the section "Access".

Audit outcome

Compliant

2.7. Physical location of metering installations (Clause 10.35(1)&(2))

Code reference

Clause 10.35(1)&(2)

Code related audit information

A reconciliation participant responsible for ensuring there is a category 1 metering installation or category 2 metering installation must ensure that the metering installation is located as physically close to a point of connection as practical in the circumstances.

A reconciliation participant responsible for ensuring there is a category 3 or higher metering installation must:

- a) *if practical in the circumstances, ensure that the metering installation is located at a point of connection; or*
- b) *if it is not practical in the circumstances to locate the metering installation at the point of connection, calculate the quantity of electricity conveyed through the point of connection using a loss compensation process approved by the certifying ATH.*

Audit observation

The LIS file was reviewed.

Audit commentary

All ICPs are metered and the responsible MEP is recorded in the registry. Based on the category of metering installations (1) traded by Hanergy we confirm compliance. There is one category 2 metering installation, metering is close to a point of connection.

The company is not responsible for any metering installations with loss compensation factors

Audit outcome

Compliant

2.8. Trader contracts to permit assignment by the Authority (Clause 11.15B)

Code reference

Clause 11.15B

Code related audit information

A trader must at all times ensure that the terms of each contract between a customer and a trader permit:

- *the Authority to assign the rights and obligations of the trader under the contract to another trader if the trader commits an event of default under paragraph (a) or (b) or (f) or (h) of clause 14.41 (clause 11.15B(1)(a)); and*
- *the terms of the assigned contract to be amended on such an assignment to—*
- *the standard terms that the recipient trader would normally have offered to the customer immediately before the event of default occurred (clause 11.15B(1)(b)(i)); or*
- *such other terms that are more advantageous to the customer than the standard terms, as the recipient trader and the Authority agree (clause 11.15B(1)(b)(ii); and*
- *the terms of the assigned contract to be amended on such an assignment to include a minimum term in respect of which the customer must pay an amount for cancelling the contract before the expiry of the minimum term (clause 11.15B(1)(c)); and*
- *the trader to provide information about the customer to the Authority and for the Authority to provide the information to another trader if required under Schedule 11.5 (clause 11.15B(1)(d)); and*
- *the trader to assign the rights and obligations of the trader to another trader (clause 11.15B(1)(e)).*

The terms specified in subclause (1) must be expressed to be for the benefit of the Authority for the purposes of the Contracts (Privacy) Act 1982, and not be able to be amended without the consent of the Authority (clause 11.15B(2)).

Audit observation

We reviewed the Terms and Conditions provided by Hanergy.

Audit commentary

The terms and Conditions contain the appropriate clause to achieve compliance with this clause, under the section called “Transferring your rights and responsibilities”.

Audit outcome

Compliant

2.9. Connection of an ICP (Clause 10.32)

Code reference

Clause 10.32

Code related audit information

A reconciliation participant must only request the connection of a point of connection if they:

- *accept responsibility for their obligations in Parts 10, 11 and 15 for the point of connection; and*
- *have an arrangement with an MEP to provide 1 or more metering installations for the point of connection.*

Audit observation

The EDA file for the audit period was reviewed.

Audit commentary

Hanergy has not dealt with new connections in the audit period.

The company is planning to start trading new connections. A new process will be written, and it will be assessed for compliance in a material change audit.

Audit outcome

Not applicable

2.10. Temporary Electrical Connection of an ICP (Clause 10.33)

Code reference

Clause 10.33(1)

Code related audit information

A reconciliation participant may temporarily electrically connect a point of connection, or authorise a MEP to temporarily electrically connect a point of connection, only if:

- *for a point of connection to the grid – the grid owner has approved the connection*
- *for an NSP that is not a point of connection to the grid - the relevant distributor has approved the connection.*
- *for a point of connection that is an ICP, but is not as NSP:*
- *the reconciliation participant is recorded in the registry as the trader responsible for the ICP*
- *if the ICP has metered load, 1 or more certified metering installations are in place*
- *if the ICP has not previously been electrically connected, the relevant distributor has given written approval of the temporary electrical connection.*

Audit observation

The EDA file for the audit period was reviewed.

Audit commentary

Hanergy has not dealt with new connections in the audit period.

The company is planning to start trading new connections. A new process will be written, and it will be assessed for compliance in a material change audit.

Audit outcome

Not applicable

2.11. Electrical Connection of Point of Connection (Clause 10.33A)

Code reference

Clause 10.33A(1)

Code related audit information

A reconciliation participant may electrically connect or authorise the electrical connection of a point of connection only if:

- *for a point of connection to the grid – the grid owner has approved the connection*
- *for an NSP that is not a point of connection to the grid - the relevant distributor has approved the connection.*
- *for a point of connection that is an ICP, but is not as NSP:*
- *the reconciliation participant is recorded in the registry as the trader responsible for the ICP*
- *if the ICP has metered load, 1 or more certified metering installations are in place*
- *if the ICP has not previously been electrically connected, the relevant distributor has given written approval of the temporary electrical connection.*

Audit observation

The EDA file for the audit period was reviewed.

Audit commentary

Hanergy has not dealt with new connections in the audit period.

The company is planning to start trading new connections. A new process will be written, and it will be assessed for compliance in a material change audit.

Audit outcome

Compliant

2.12. Arrangements for line function services (Clause 11.16)

Code reference

Clause 11.16

Code related audit information

Before providing the registry manager with any information in accordance with clause 11.7(2) or clause 11.18(4), a trader must ensure that it, or its customer, has made any necessary arrangements for the provision of line function services in relation to the relevant ICP

Before providing the registry manager with any information in accordance with clause 11.7(2) or clause 11.18(4), a trader must have entered into an arrangement with an MEP for each metering installation at the ICP.

Audit observation

The EDA file was reviewed.

Audit commentary

Hanergy trades on the Vector, Westfield, Waikato networks. The company has got an arrangement with both companies allowing them to trade on their networks.

Audit outcome

Compliant

2.13. Arrangements for metering equipment provision (Clause 10.36)

Code reference

Clause 10.36

Code related audit information

A reconciliation participant must ensure it has an arrangement with the relevant MEP prior to accepting responsibility for an installation.

Audit observation

The LIS file was reviewed.

Audit commentary

Hanergy has assigned the following MEPs to ICPs in the registry: NGCM, FCLMS, MTRX and BOPE (Nova Energy). The company has contracts in place with all of them.

Audit outcome

Compliant

3. MAINTAINING REGISTRY INFORMATION

3.1. Obtaining ICP identifiers (Clause 11.3)

Code reference

Clause 11.3

Code related audit information

The following participants must, before assuming responsibility for certain points of connection on a local network or embedded network, obtain an ICP identifier for the point of connection:

- a) a trader who has agreed to purchase electricity from an embedded generator or sell electricity to a consumer*
- b) an embedded generator who sells electricity directly to the clearing manager*
- c) a direct purchaser connected to a local network or an embedded network*
- d) an embedded network owner in relation to a point of connection on an embedded network that is settled by differencing*
- e) a network owner in relation to a shared unmetered load point of connection to the network owner's network*
- f) a network owner in relation to a point of connection between the network owner's network and an embedded network.*

ICP identifiers must be obtained for points of connection at which any of the following occur:

- a consumer purchases electricity from a trader 11.3(3)(a)*
- a trader purchases electricity from an embedded generator 11.3(3)(b)*
- a direct purchaser purchases electricity from the clearing manager 11.3(3)(c)*
- an embedded generator sells electricity directly to the clearing manager 11.3(3)(d)*
- a network is settled by differencing 11.3(3)(e)*
- there is a distributor status ICP on the parent network point of connection of an embedded network or at the point of connection of shared unmetered load. 11.3(3)(f)*

Audit observation

As described in **section 2.9**, Hanergy did not trade new connections in the audit period.

Audit commentary

Analysis of the LIS file confirmed that Hanergy only trades in already established connections.

Audit outcome

Not applicable

3.2. Providing registry information (Clause 11.7(2))

Code reference

Clause 11.7(2)

Code related audit information

Each trader must provide information to the registry manager about each ICP at which it trades electricity in accordance with Schedule 11.1.

Audit observation

As described in **section 2.9**, Hanergy did not trade new connections in the audit period.

Audit commentary

Analysis of the LIS file confirmed that Hanergy only trades in already established connections.

Audit outcome

Not applicable

3.3. Changes to registry information (Clause 10 Schedule 11.1)

Code reference

Clause 10 Schedule 11.1

Code related audit information

If information provided by a trader to the registry manager about an ICP changes, the trader must provide written notice to the registry manager of the change no later than 5 business days after the change.

Audit observation

The EDA file for audit period was reviewed.

Audit commentary

Status update	Year	Total number of updates	No of updates within 5BD	No of updates later than 5BD	Average notification days [BD]	Percentage compliant
Change to Active (2,0)	2019	1	0	1	9	0%
	2020	17	15	2	2.53	88%
Change to "vacant" (1,4)	2019	0				
	2020	16	16	0	1	100%
Change to "electrically disconnected by AMI meter"	2019	1	0	0	46	0%
	2020	0				
Trader (NT updates and MEP nominations are excluded)	2019	0				
	2020	0				
MEP nomination	2019	0				
	2020	0				

There were two late updates to the "active" status (0216135044LC400 and 1002036598UN3C1). It was caused by a miscommunication within the company when ICPs were reconnected remotely by MTRX.

Audit outcome

Non-compliant

Non-compliance	Description		
Audit Ref: 3.3 With: 10 of schedule 11.1 From: 01-Sep-19 To: 17-Feb-20	Late status in the registry for two ICPs Potential impact: Low Actual impact: Low Audit history: Once previously Controls: Moderate Breach risk rating: 2		
Audit risk rating	Rationale for audit risk rating		
Low	The controls are rated as moderate as they require some improvement. There was minor impact on settlement. Audit risk rating low.		
Actions taken to resolve the issue		Completion date	Remedial action status
As noted in the audit ICP 0216135044LC400 was reconnected on 8th Aug 2019, Hanergy noted the ICP has energised from our agency on 1 st Sep 2019, This was then immediately resolved and the registry updated. ICP 1002036598UN3C1, the user "supHANE" is not in the country at that time, due the limitation of the internet use for the access. Both these have now been updated on the registry.			Identified
Preventative actions taken to ensure no further issues will occur		Completion date	
Hanergy do validate ICPs we switch in and are reliant on the registry at that point for information. We hope this will be a one of issue. We are looking into updating the registry ourselves in the near future. The train is in process for other staff can do the register in near future			

3.4. Trader responsibility for an ICP (Clause 11.18)

Code reference

Clause 11.18

Code related audit information

A trader becomes responsible for an ICP when the trader is recorded in the registry as being responsible for the ICP.

A trader ceases to be responsible for an ICP if:

- *another trader is recorded in the registry as accepting responsibility for the ICP (clause 11.18(2)(a)); or*
- *the ICP is decommissioned in accordance with clause 20 of Schedule 11.1 (clause 11.18(2)(b)).*
- *if an ICP is to be decommissioned, the trader who is responsible for the ICP must (clause 11.18(3)):*
 - o *arrange for a final interrogation to take place prior to or upon meter removal (clause 11.18(3)(a)); and*
 - o *advise the MEP responsible for the metering installation of the decommissioning (clause 11.18(3)(b)).*

A trader who is responsible for an ICP (excluding UML) must ensure that an MEP is recorded in the registry for that ICP (clause 11.18(4)).

A trader must not trade at an ICP (excluding UML) unless an MEP is recorded in the registry for that ICP (clause 11.18(5)).

Audit observation

The LIS file was analysed, and we confirm that all ICPs have a MEP recorded in the registry

Audit commentary

Hanergy fully understand that as soon as they are recorded in the registry as accepting responsibility, the responsibility will cease only when an ICP switches out to another trader and its code is recorded in the registry.

Hanergy is aware of their responsibility to notify the MEP where an ICP is to be decommissioned and ask to obtain a final reading.

Audit outcome

Compliant

3.5. Provision of information to the registry manager (Clause 9 Schedule 11.1)

Code reference

Clause 9 Schedule 11.1

Code related audit information

Each trader must provide the following information to the registry manager for each ICP for which it is recorded in the registry as having responsibility:

- a) *the participant identifier of the trader, as approved by the Authority (clause 9(1)(a))*
- b) *the profile code for each profile at that ICP, as approved by the Authority (clause 9(1)(b))*
- c) *the metering equipment provider for each category 1 metering or higher (clause 9(1)(c))*
- d) *the type of submission information the trader will provide to the RM for the ICP (clause 9(1)(ea))*
- e) *if a settlement type of UNM is assigned to that ICP, either:*
 - *the code ENG if the load is profiled through an engineering profile in accordance with profile class 2.1 (clause 9(1)(f)(i)); or*
 - *in all other cases, the daily average kWh of unmetered load at the ICP (clause 9(1)(f)(ii)).*
 - *the type and capacity of any unmetered load at each ICP (clause 9(1)(g))*
 - *the status of the ICP, as defined in clauses 12 to 20 (clause 9(1)(j))*
 - *except if the ICP exists for the purposes of reconciling an embedded network or the ICP has distributor status, the trader must provide the relevant business classification code applicable to the customer (clause 9(1)(k)).*

The trader must provide information specified in (a) to (j) above within 5 business days of trading (clause 9(2)).

The trader must provide information specified in 9(1)(k) no later than 20 business days of trading (clause 9(3))

Audit observation

Registry files such as the LIS, EDA and the Audit Compliance report were examined.

Audit commentary

The analyses of the EDA files showed that Hanergy provided all required information to the registry within the timeframe set out in this clause. The company did not trade new installations in the audit period

Audit outcome

Compliant

3.6. ANZSIC codes (Clause 9 (1(k) of Schedule 11.1)

Code reference

Clause 9 (1(k) of Schedule 11.1

Code related audit information

Traders are responsible to populate the relevant ANZSIC code for all ICPs for which they are responsible.

Audit observation

We analysed the LIS file.

Audit commentary

Hanergy mostly trades residential ICPs. We randomly checked a small number of non-residential ICPs. We identified two ICPs (1002040647UND27 and 1001120041UN751) which have an incorrect ANZIC code.

Audit outcome

Non-compliant

Non-compliance	Description
Audit Ref: 3.6 With: 9(1)(k) of Schedule 11.1 From: 12-Jul-19 To: 31-May-20	Incorrect ANZSIC code for 2 ICPs Potential impact: Low Actual impact: Low Audit history: None Controls: Moderate Breach risk rating: 2
Audit risk rating	Rationale for audit risk rating

Low	The controls are rated as moderate as they require some improvement. The company needs to refine their process for checking the validity of the ANZSIC code when an ICP switches in. There was minor impact on settlement outcomes because of the small number of ICPs. Audit risk rating is low		
Actions taken to resolve the issue		Completion date	Remedial action status
<p>ICP 1002040647UND27 was the construction site when we first switched in, after the construction work finished, we didn't change in the registry as yet. This was then immediately resolved and the registry updated.</p> <p>ICP 1001120041UN751 is an commercial office area, a misunderstanding Between E32 and the customer name as development.</p> <p>Both these have now been updated on the registry.</p>			Identified
Preventative actions taken to ensure no further issues will occur		Completion date	
We will be checking ANSIC codes on switch in			

3.7. Changes to unmetered load (Clause 9(1)(f) of Schedule 11.1)

Code reference

Clause 9(1)(f) of Schedule 11.1

Code related audit information

if a settlement type of UNM is assigned to that ICP, the trader must populate:

the code ENG - if the load is profiled through an engineering profile in accordance with profile class 2.1 (clause 9(1)(f)(i)); or

the daily average kWh of unmetered load at the ICP - in all other cases (clause 9(1)(f)(ii)).

Audit observation

The LIS file was analysed. The process for managing unmetered load was examined.

Audit commentary

According to the documentation provided by Hanergy, it is not their intention to take on unmetered ICPs. If UML is found at a later date, the company will have a discussion with the customer regarding having metering put in place or switching to another retailer. If this is not possible they will have JC Consulting create consumption based on the daily kWh information either from the distributor or the customer. Hanergy will update the registry with the required (or as much as we have at hand) UML information immediately on finding any UML.

Audit outcome

Compliant

3.8. Management of “active” status (Clause 17 Schedule 11.1)

Code reference

Clause 17 Schedule 11.1

Code related audit information

The ICP status of “active” is managed by the relevant trader and indicates that:

- the associated electrical installations are electrically connected (clause 17(1)(a))
- the trader must provide information related to the ICP in accordance with Part 15, to the reconciliation manager for the purpose of compiling reconciliation information (clause 17(1)(b)).

Before an ICP is given the “active” status, the trader must ensure that:

- the ICP has only 1 customer, embedded generator, or direct purchaser (clause 17(2)(a))
- the electricity consumed is quantified by a metering installation or a method of calculation approved by the Authority (clause 17(2)(b)).

Audit observation

The LIS file and EDA files were examined. The process for status change was discussed during the audit.

Audit commentary

The LIS file showed that 205 ICPs have the status “active” assigned. All installations were metered by certified installations. A review of the EDA file confirmed that there were 2 updates of the status to “active” during the period covered by this audit. All reconnections were done remotely by MEPs. As per **section 3.3**, some updates were uploaded later than 5 BD.

Audit outcome

Non-compliant

Non-compliance	Description		
Audit Ref: 3.8 With: 17 of Schedule 11.1 From: 12-Jul-19 To: 31-May-20	Late update to “active” for 2 ICPs Potential impact: Low Actual impact: Low Audit history: Once previously Controls: Moderate Breach risk rating: 2		
Audit risk rating	Rationale for audit risk rating		
Low	The controls are rated as moderate as they require some improvements to update the registry in a timely manner. There was minor impact on settlement outcomes because of the small number of ICPs. Audit risk rating is low		
Actions taken to resolve the issue		Completion date	Remedial action status
See comments for both ICPs in section 3.3			Identified

Preventative actions taken to ensure no further issues will occur	Completion date	
See comments for both ICPs in section 3.3		

3.9. Management of “inactive” status (Clause 19 Schedule 11.1)

Code reference

Clause 19 Schedule 11.1

Code related audit information

The ICP status of “inactive” must be managed by the relevant trader and indicates that:

- *electricity cannot flow at that ICP (clause 19(a)); or*
- *submission information related to the ICP is not required by the reconciliation manager for the purpose of compiling reconciliation information (clause 19(b)).*

Audit observation

The LIS file and EDA files were examined. The process for status change was discussed during the audit.

Audit commentary

A review of the EDA file confirmed that there have been 17 status changes to “inactive” during the period covered by this audit.

Audit outcome

Compliant

3.10. ICPs at new or ready status for 24 months (Clause 15 Schedule 11.1)

Code reference

Clause 15 Schedule 11.1

Code related audit information

If an ICP has had the status of "New" or "Ready" for 24 calendar months or more, the distributor must ask the trader whether it should continue to have that status and must decommission the ICP if the trader advises the ICP should not continue to have that status.

Audit observation

It is a distributor’s obligation to monitor an ICP which has had the status of “New” or “Ready” for 24 calendar months or more. It is expected that a trader be able to respond to such queries from distributors.

Audit commentary

Hanergy has not received such a query from any distributor because the company did not trade new connections in the audit period.

Audit outcome

Compliant

4. PERFORMING CUSTOMER AND EMBEDDED GENERATOR SWITCHING

4.1. Inform registry of switch request for ICPs - standard switch (Clause 2 Schedule 11.3)

Code reference

Clause 2 Schedule 11.3

Code related audit information

The standard switch process applies where a trader and a customer or embedded generator enters into an arrangement in which the trader commences trading electricity with the customer or embedded generator at a non-half hour or unmetered ICP at which another trader supplies electricity, or the trader assumes responsibility for such an ICP.

If the uninvited direct sale agreement applies to an arrangement described above, the gaining trader must identify the period within which the customer or embedded generator may cancel the arrangement in accordance with section 36M of the Fair Trading Act 1986. The arrangement is deemed to come into effect on the day after the expiry of that period.

A gaining trader must advise the registry manager of a switch no later than 2 business days after the arrangement comes into effect and include in its advice to the registry manager that the switch type is TR and 1 or more profile codes associated with that ICP.

Audit observation

The standard switch process was examined to assess compliance. The EDA files and the Switch Breach Report for the audit period were reviewed.

Audit commentary

During the audit period Hanergy sent 116 NTTR. During the audit period all ICPs gained were category 1 metering installations. The correct type of switch was used. No switches were backdated.

Hanergy is aware of the requirements of the Fair Trading Act 1986

Audit outcome

Compliant

4.2. Losing trader response to switch request and event dates - standard switch (Clauses 3 and 4 Schedule 11.3)

Code reference

Clauses 3 and 4 Schedule 11.3

Code related audit information

Within 3 business days after receiving notice of a switch from the registry manager, the losing trader must establish a proposed event date. The event date must be no more than 10 business days after the date of receipt of such notification, and in any 12 month period, at least 50% of the event dates must be no more than 5 business days after the date of notification. The losing trader must then:

- *provide acknowledgement of the switch request by (clause 3(a) of Schedule 11.3):*
- *providing the proposed event date to the registry manager and a valid switch response code (clause 3(a)(i) and (ii) of Schedule 11.3); or*
- *providing a request for withdrawal of the switch in accordance with clause 17 (clause 3(c) of Schedule 11.3).*

When establishing an event date for clause 4, the losing trader may disregard every event date established by the losing trader for an ICP for which when the losing trader received notice from the registry manager under clause 22(a) the losing trader had been responsible for less than 2 months.

Audit observation

The EDA files and the Switch Breach Report for the audit period were reviewed.

Audit commentary

The company received 3 NTTR from gaining traders. Hanergy responded to all of them in the correct format.

Audit outcome

Compliant

4.3. Losing trader must provide final information - standard switch (Clause 5 Schedule 11.3)

Code reference

Clause 5 Schedule 11.3

Code related audit information

If the losing trader provides information to the registry manager in accordance with clause 3(a) of Schedule 11.3 with the required information, no later than 5 business days after the event date, the losing trader must complete the switch by:

- *providing event date to the registry manager (clause 5(a)); and*
- *provide to the gaining trader a switch event meter reading as at the event date, for each meter or data storage device that is recorded in the registry with accumulator of C and a settlement indicator of Y (clause 5(b)); and*
- *if a switch event meter reading is not a validated reading, provide the date of the last meter reading (clause 5(c)).*

Audit observation

The EDA files and the Switch Breach Report for the audit period were reviewed.

Audit commentary

Hanergy lost 2 ICPs using the standard switch process.

We checked the information in all CS files which we found correct, except one switch event meter reading. The company misunderstood the file format of the meter reading provided by the MEP. The register read provided by the MEP is the read at the end of the day. The company understood it to be the beginning of the day, therefore, the incorrect read was provided to the gaining trader because it was the read on at the end of transfer day. There was no disadvantage to the gaining trader, Hanergy simply bought an additional day of energy for which they did not charge their customer.

Audit outcome

Non-compliant

Non-compliance	Description
----------------	-------------

Audit Ref: 4.3 With: 5 of Schedule 11.3 From: 10-Mar-20 To: 25-Mar-20	Incorrect switch event meter reading for 2 ICPs Potential impact: Low Actual impact: Low Audit history: None Controls: Moderate Breach risk rating: 2		
Audit risk rating	Rationale for audit risk rating		
Low	The controls are rated as moderate as they require some improvement., There was no negative impact on settlement because Hanergy bought energy for one day extra. Audit risk rating is low		
Actions taken to resolve the issue		Completion date	Remedial action status
Hanergy misunderstood the file format of the meter reading provided by the MEP and provided to the gaining trader read on at the end of transfer day. Hanergy simply bought an additional day of energy for which they did not charge their customer			Identified
Preventative actions taken to ensure no further issues will occur		Completion date	
Hanergy will follow the switch in process in the future to assure this kind of action do not happening in the future.			

4.4. Retailers must use same reading - standard switch (Clause 6(1) and 6A Schedule 11.3)

Code reference

Clause 6(1) and 6A Schedule 11.3

Code related audit information

The losing trader and the gaining trader must both use the same switch event meter reading as determined by the following procedure:

- *if the switch event meter reading provided by the losing trader differs by less than 200 kWh from a value established by the gaining trader, the gaining trader must use the losing trader's validated meter reading or permanent estimate (clause 6(a)); or*
- *the gaining trader may dispute the switch meter reading if the validated meter reading or permanent estimate provided by the losing trader differs by 200 kWh or more. (clause 6(b)).*

If the gaining trader disputes a switch meter reading because the switch event meter reading provided by the losing trader differs by 200 kWh or more, the gaining trader must, within 4 calendar months of the registry manager giving the gaining trader written notice of having received information about the

switch completion, provide to the losing trader a changed switch event meter reading supported by 2 validated meter readings.

- the losing trader can choose not to accept the reading, however, must advise the gaining trader no later than 5 business days after receiving the switch event meter reading from the gaining trader (clause 6A(a)); or
- if the losing trader notifies its acceptance or does not provide any response, the losing trader must use the switch event meter reading supplied by the gaining trader. (clause 6A(b)).

Audit observation

The Switch Breach Report and EDA file for the audit period was analysed.

Audit commentary

Hanergy sent 1RR file which was accepted. The file was sent within 4 calendar months.

Audit outcome

Compliant

4.5. Non-half hour switch event meter reading - standard switch (Clause 6(2) and (3) Schedule 11.3)

Code reference

Clause 6(2) and (3) Schedule 11.3

Code related audit information

If the losing trader trades electricity from a non-half hour meter, with a switch event meter reading that is not from an AMI certified meter flagged Y in the registry: and

- the gaining trader will trade electricity from a meter with a half hour submission type in the registry (clause 6(2)(b));
- the gaining trader within 5 business days after receiving final information from the registry manager, may provide the losing trader with a switch event meter reading from that meter. The losing trader must use that switch event meter reading.

Audit observation

The EDA file was analysed.

Audit commentary

There were no switches which would require compliance with this clause.

Audit outcome

Compliant

4.6. Disputes - standard switch (Clause 7 Schedule 11.3)

Code reference

Clause 7 Schedule 11.3

Code related audit information

A losing trader or gaining trader may give written notice to the other that it disputes a switch event meter reading provided under clauses 1 to 6. Such a dispute must be resolved in accordance with clause 15.29 (with all necessary amendments).

Audit observation

There were no disputes with losing retailers. If such a situation were to occur in the future it would be resolved in accordance with this clause.

Audit commentary

Hanergy confirmed that no disputes occurred in the period covered by this audit which would require a resolution. Hanergy stated that they will not decline to accept another retailer's validated meter reading or permanent estimate if they are reasonable and appropriate in the applicable circumstances.

Audit outcome

Compliant

4.7. Gaining trader informs registry of switch request - switch move (Clause 9 Schedule 11.3)

Code reference

Clause 9 Schedule 11.3

Code related audit information

The switch move process applies where a gaining trader has an arrangement with a customer or embedded generator to trade electricity at an ICP using non half-hour metering or an unmetered ICP, or to assume responsibility for such an ICP, and no other trader has an agreement to trade electricity at that ICP, this is referred to as a switch move and the following provisions apply:

If the "uninvited direct sale agreement" applies, the gaining trader must identify the period within which the customer or embedded generator may cancel the arrangement in accordance with section 36M of the Fair Trading Act 1986. The arrangement is deemed to come into effect on the day after the expiry of that period.

In the event of a switch move, the gaining trader must advise the registry manager of a switch and the proposed event date no later than 2 business days after the arrangement comes into effect.

In its advice to the registry manager the gaining trader must include:

- *a proposed event date (clause 9(2)(a)); and*
- *that the switch type is "MI" (clause 9(2)(b); and*
- *one or more profile codes of a profile at the ICP. (clause 9(2)(c))*

Audit observation

Hanergy provided the Event Listing file (EDA) and the Switch Breach History detail report for the period of this audit. The switch move process was examined, we found it compliant.

Audit commentary

During the audit period Hanergy sent 77 NTMI. During the audit period all ICPs gained were category 1 metering installations. The correct type of switch was used.

Hanergy is aware of the requirements of the Fair Trading Act 1986

Audit outcome

Compliant

4.8. Losing trader provides information - switch move (Clause 10(1) Schedule 11.3)

Code reference

Clause 10(1) Schedule 11.3

Code related audit information

10(1) Within 5 business days after receiving notice of a switch move request from the registry manager—

- 10(1)(a) If the losing trader accepts the event date proposed by the gaining trader, the losing trader must complete the switch by providing to the registry manager:
 - o confirmation of the switch event date; and
 - o a valid switch response code; and
 - o final information as required under clause 11; or
- 10(1)(b) If the losing trader does not accept the event date proposed by the gaining trader, the losing trader must acknowledge the switch request to the registry manager and determine a different event date that—
 - o is not earlier than the gaining trader's proposed event date, and
 - o is no later than 10 business days after the date the losing trader receives notice; or
- 10(1)(c) request that the switch be withdrawn in accordance with clause 17.

Audit observation

The Event Listing file (EDA) and the Switch Breach History detail report for the period of this audit were analysed.

Audit commentary

We identified that for 4 ICPs the AN file was not sent to confirm the event date. A CS file was sent after receiving the NT file from the gaining trader.

Audit outcome

Non-compliant

Non-compliance	Description		
Audit Ref: 4.8 With: 10(1) of Schedule 11.3 From: 17-Sep-19 To: 20-Dec-19	No AN file sent for 4 ICPs Potential impact: Low Actual impact: Low Audit history: None Controls: Moderate Breach risk rating: 2		
Audit risk rating	Rationale for audit risk rating		
Low	The controls are rated as moderate as they require some improvement., There was no negative impact on settlement. Audit risk rating is low		
Actions taken to resolve the issue		Completion date	Remedial action status
Those 4 ICPs without AN File and directly did CS.			Identified
Preventative actions taken to ensure no further issues will occur		Completion date	

Hanergy will follow the switch in process in the future to assure this kind of action do not happening in the future.		
---	--	--

4.9. Losing trader determines a different date - switch move (Clause 10(2) Schedule 11.3)

Code reference

Clause 10(2) Schedule 11.3

Code related audit information

If the losing trader determines a different date, then within 10 business days of receiving notice the losing trader must also complete the switch by providing to the registry manager as described in subclause (1)(a):

- *the event date proposed by the losing trader; and*
- *a valid switch response code; and*
- *final information as required under clause 1.*

Audit observation

The Event Listing file (EDA) and the Switch Breach Report were analysed.

Audit commentary

The analysis showed that for all switch move switches Hanergy accepted the event date proposed by the gaining trader.

Audit outcome

Compliant

4.10. Losing trader must provide final information - switch move (Clause 11 Schedule 11.3)

Code reference

Clause 11 Schedule 11.3

Code related audit information

The losing trader must provide final information to the registry manager for the purposes of clause 10(1)(a)(ii), including—

- *the event date (clause 11(a)); and*
- *a switch event meter reading as at the event date for each meter or data storage device that is recorded in the registry with an accumulator type of C and a settlement indicator of Y (clause 11(b)); and*
- *if the switch event meter reading is not a validated meter reading, the date of the last meter reading of the meter or storage device. (clause (11(c)).*

Audit observation

The EDA for the audit period was analysed.

Audit commentary

Hanergy lost 35 ICPs using the switch move process.

We checked the information in all CS files which we found correct, except one switch event meter reading. The company misunderstood the file format of the meter reading provided by the MEP. The register read

provided by the MEP is the read at the end of the day. The company understood it to be the beginning of the day, therefore, the incorrect read was provided to the gaining trader because it was the read on at the end of transfer day. There was no disadvantage to the gaining trader, Hanergy simply bought an additional day of energy for which they did not charge their customer.

It is the same non-compliance as for the standard switch.

Audit outcome

Non-compliant

Non-compliance	Description		
Audit Ref: 4.10 With: 11 of Schedule 11.3 From: 08-Aug-19 To: 19-May-20	Incorrect switch event meter reading for 35 ICPs Potential impact: Low Actual impact: Low Audit history: None Controls: Moderate Breach risk rating: 2		
Audit risk rating	Rationale for audit risk rating		
Low	The controls are rated as moderate as they require some improvement., There was no negative impact on settlement because Hanergy bought energy for one day extra. Audit risk rating is low		
Actions taken to resolve the issue		Completion date	Remedial action status
35 ICPs was indicated as incorrect switch meter reading, Hanergy were brought the energy reading date as one day extra as two major metering company provided different format of the file. All the meter read figure are correct but the date bought one day extra.			Identified
Preventative actions taken to ensure no further issues will occur		Completion date	
Hanergy will put the meter read date one day before the MI or TR date to avoid the things happen again.			

4.11. Gaining trader changes to switch meter reading - switch move (Clause 12 Schedule 11.3)

Code reference

Clause 12 Schedule 11.3

Code related audit information

The gaining trader may use the switch event meter reading supplied by the losing trader or may, at its own cost, obtain its own switch event meter reading. If the gaining trader elects to use this new switch event meter reading, the gaining trader must advise the losing trader of the switch event meter reading and the actual event date to which it refers as follows:

- *if the switch meter reading established by the gaining trader differs by less than 200 kWh from that provided by the losing trader, both traders must use the switch event meter reading provided by the gaining trader (clause 12(2)(a)); or*
- *if the switch event meter reading provided by the losing trader differs by 200 kWh or more from a value established by the gaining trader, the gaining trader may dispute the switch meter reading. In this case, the gaining trader, within 4 calendar months of the date the registry manager gives the gaining trader written notice of having received information about the switch completion, must provide to the losing trader a changed validated meter reading or a permanent estimate supported by 2 validated meter readings and the losing trader must either (clause 12(2)(b) and clause 12(3)):*
- *advise the gaining trader if it does not accept the switch event meter reading and the losing trader and the gaining trader must resolve the dispute in accordance with the disputes procedure in clause 15.29 (with all necessary amendments) (clause 12(3)(a)); or*
- *if the losing trader notifies its acceptance or does not provide any response, the losing trader must use the switch event meter reading supplied by the gaining trader. (clause 12(3)(b)).*

12(2A) If the losing trader trades electricity from a non-half hour meter, with a switch event meter reading that is not from an AMI certified meter flagged Y in the registry,

- *the gaining trader will trade electricity from a meter with a half hour submission type in the registry (clause 12(2A)(b));*
- *the gaining trader no later than 5 business days after receiving final information from the registry manager, may provide the losing trader with a switch event meter reading from that meter. The losing trader must use that switch event meter reading. (clause 12(2B)).*

Audit observation

The Event Listing file (EDA) and the Switch Breach Report were analysed.

Audit commentary

Hanergy sent 1 RR file for switch move. The file was sent after 4 calendar months. It was rejected by MEEN. The switch event meter reading from CS was used for reconciliation by JC Consulting.

Audit outcome

Non-compliant

Non-compliance	Description
Audit Ref: 4.11 With: 12 of Schedule 11.3 From: 12-Jul-19 To: 20-Nov-19	1 RR file late Potential impact: Low Actual impact: Low Audit history: None Controls: Strong Breach risk rating:1
Audit risk rating	Rationale for audit risk rating

Low	The controls are rated as strong. Company manages well meter readings. Audit risk rating is low		
Actions taken to resolve the issue		Completion date	Remedial action status
ICP 1002057378UNC85, Hanegy was put the wrong reading when the customer switched to TRUS, TRUS sent the RR TO HANE, by mistake, HANE accidently send the RR to the last retailer MEEN, an Email were sent to MEEN to ask reject the RR. The ICP have now been updated on the registry on the 15 th Nov 2019.			Identified
Preventative actions taken to ensure no further issues will occur		Completion date	
Hanergy will make sure the future RR sends to correct retailer to avoid the mistake happens again.			

4.12. Gaining trader informs registry of switch request - gaining trader switch (Clause 14 Schedule 11.3)

Code reference

Clause 14 Schedule 11.3

Code related audit information

The gaining trader switch process applies when a trader has an arrangement with a customer or embedded generator to trade electricity at an ICP at which the losing trader trades electricity with the customer or embedded generator, and one of the following applies at the ICP:

- *the gaining trader will trade electricity through a half hour metering installation that is a category 3 or higher metering installation; or*
- *the gaining trader will trade electricity through a non-AMI half hour metering installation and the losing trader trades electricity through a non-AMI non half hour metering installation; or*
- *the gaining trader will trade electricity through a non-AMI non half hour metering installation and the losing trader trades electricity through anon-AMI half hour metering installation*

If the uninvited direct sale agreement applies to an arrangement described above, the gaining trader must identify the period within which the customer or embedded generator may cancel the arrangement in accordance with section 36M of the Fair Trading Act 1986. The arrangement is deemed to come into effect on the day after the expiry of that period.

A gaining trader must advise the registry manager of the switch and expected event date no later than 3 business days after the arrangement comes into effect.

14(2) The gaining trader must include in its advice to the registry manager:

- a) a proposed event date; and*
- b) that the switch type is HH.*

14(3) The proposed event date must be a date that is after the date on which the gaining trader advises the registry manager, unless clause 14(4) applies.

14(4) The proposed event date is a date before the date on which the gaining trader advised the registry manager, if:

14(4)(a) – the proposed event date is in the same month as the date on which the gaining trader advised the registry manager; or

14(4)(b) – the proposed event date is no more than 90 days before the date on which the gaining trader advises the registry manager and this date is agreed between the losing and gaining traders.

Audit observation

The EDA file for the audit period was analysed.

Audit commentary

Hanergy did not use this type of switch to gain any customers in the audit period.

Audit outcome

Compliant

4.13. Losing trader provision of information - gaining trader switch (Clause 15 Schedule 11.3)

Code reference

Clause 15 Schedule 11.3

Code related audit information

Within 3 business days after the losing trader is informed about the switch by the registry manager, the losing trader must:

15(a) - provide to the registry manager a valid switch response code as approved by the Authority; or

15(b) - provide a request for withdrawal of the switch in accordance with clause 17.

Audit observation

The EDA file for the audit period was analysed.

Audit commentary

Hanergy did not lose any ICP using the gaining trader switch process.

Audit outcome

Compliant

4.14. Gaining trader to advise the registry manager - gaining trader switch (Clause 16 Schedule 11.3)

Code reference

Clause 16 Schedule 11.3

Code related audit information

The gaining trader must complete the switch no later than 3 business days, after receiving the valid switch response code, by advising the registry manager of the event date.

If the ICP is being electrically disconnected, or if metering equipment is being removed, the gaining trader must either-

16(a)- give the losing trader or MEP for the ICP an opportunity to interrogate the metering installation immediately before the ICP is electrically disconnected or the metering equipment is removed; or

16(b)- carry out an interrogation and, no later than 5 business days after the metering installation is electrically disconnected or removed, advise the losing trader of the results and metering component numbers for each data channel in the metering installation.

Audit observation

The EDA file for the audit period was analysed.

Audit commentary

Hanergy did not lose any ICP using the gaining trader switch process.

Audit outcome

Compliant

4.15. Withdrawal of switch requests (Clauses 17 and 18 Schedule 11.3)

Code reference

Clauses 17 and 18 Schedule 11.3

Code related audit information

A losing trader or gaining trader may request that a switch request be withdrawn at any time until the expiry of 2 calendar months after the event date of the switch.

If a trader requests the withdrawal of a switch, the following provisions apply:

- *for each ICP, the trader withdrawing the switch request must provide the registry manager with (clause 18(c)):*
 - *the participant identifier of the trader making the withdrawal request (clause 18(c)(i)); and*
 - *the withdrawal advisory code published by the Authority. (clause 18(c)(ii))*
- *within 5 business days after receiving notice from the registry manager of a switch, the trader receiving the withdrawal must advise the registry manager that the switch withdrawal request is accepted or rejected. A switch withdrawal request must not become effective until accepted by the trader who received the withdrawal. (clause 18(d))*
- *on receipt of a rejection notice from the registry manager, in accordance with clause 18(d), a trader may re-submit the switch withdrawal request for an ICP in accordance with clause 18(c). All switch withdrawal requests must be resolved within 10 business days after the date of the initial switch withdrawal request. (clause 18(e))*
- *if the trader requests that a switch request be withdrawn, and the resolution of that switch withdrawal request results in the switch proceeding, within 2 business days after receiving notice from the registry manager in accordance with clause 22(b), the losing trader must comply with clauses 3,5,10 and 11 (whichever is appropriate) and the gaining trader must comply with clause 16. (clause 18(f))*

Audit observation

The EDA file and the Audit Compliance Report for the audit period was analysed.

Audit commentary

Hanergy sent 7 NW files, 3 of them were at the customer's request, 1 was for an incorrect switch type, and 3 of incorrect premise. All of them were sent within 2 calendar months after the event date of the switch.

The company received 15 NW files. Hanergy responded within 5 business days after receiving notice from the registry manager.

Audit outcome

Compliant

4.16. Metering information (Clause 21 Schedule 11.3)

Code reference

Clause 21 Schedule 11.3

Code related audit information

For an interrogation or validated meter reading or permanent estimate carried out in accordance with Schedule 11.3:

21(a)- the trader who carries out the interrogation, switch event meter reading must ensure that the interrogation is as accurate as possible, or that the switch event meter reading is fair and reasonable.

21(b) and (c) - the cost of every interrogation or switch event meter reading carried out in accordance with clauses 5(b) or 11(b) or (c) must be met by the losing trader. The costs in every other case must be met by the gaining trader.

Audit observation

The meter reading process in relation to the switching process was examined. Reads are received from MEPs and four ICPs are read by participants.

Audit commentary

The company understands that it would be their responsibility to obtain any additional read and pay for it.

Audit outcome

Compliant

4.17. Switch saving protection (Clause 11.15AA to 11.15AB)

Code reference

Clause 11.15AA to 11.15AB

Code related audit information

A trader that buys electricity from the clearing manager may elect to have a switch saving protection by giving notice to the Authority in writing.

If a protected trader enters into an arrangement with a customer of another trader (the losing trader), or a trader enters into an arrangement with a customer of a protected trader, to commence trading electricity with the customer, the losing trader must not, by any means, initiate contact with the customer to attempt to persuade the customer to terminate the arrangement during the period from the receipt of the NT to the event date of the switch including by:

11.15AB(4)(a)- making a counter offer to the customer; or

11.15AB(4)(b)- offering an enticement to the customer.

Audit observation

Hanergy is not part of the Switch saving protection program.

Audit commentary

The Win-back process was discussed during the audit. The company policy is not to contact a losing customer to offer “a better deal”.

Audit outcome

Compliant

5. MAINTENANCE OF UNMETERED LOAD

5.1. Maintaining shared unmetered load (Clause 11.14)

Code reference

Clause 11.14

Code related audit information

The trader must adhere to the process for maintaining shared unmetered load as outlined in clause 11.14:

11.14(2) - The distributor must give written notice to the traders responsible for the ICPs across which the unmetered load is shared, of the ICP identifiers of the ICPs.

11.14(3) - A trader who receives such a notification from a distributor must give written notice to the distributor if it wishes to add or omit any ICP from the ICPs across which unmetered load is to be shared.

11.14(4) - A distributor who receives such a notification of changes from the trader under (3) must give written notice to the registry manager and each trader responsible for any of the ICPs across which the unmetered load is shared.

11.14(5) - If a distributor becomes aware of any change to the capacity of a shared unmetered load ICP or if a shared unmetered load ICP is decommissioned, it must give written notice to all traders affected by that change as soon as practicable after that change or decommissioning.

11.14(6) - Each trader who receives such a notification must, as soon as practicable after receiving the notification, adjust the unmetered load information for each ICP in the list for which it is responsible to ensure that the entire shared unmetered load is shared equally across each ICP.

11.14(7) - A trader must take responsibility for shared unmetered load assigned to an ICP for which the trader becomes responsible as a result of a switch in accordance with Part 11.

11.14(8) - A trader must not relinquish responsibility for shared unmetered load assigned to an ICP if there would then be no ICPs left across which that load could be shared.

11.14(9) - A trader can change the status of an ICP across which the unmetered load is shared to inactive status, as referred to in clause 19 of Schedule 11.1. In that case, the trader is not required to give written notice to the distributor of the change. The amount of electricity attributable to that ICP becomes UFE.

Audit observation

The LIS file and the Audit Compliance Report were analysed.

Audit commentary

Hanergy has not traded SUML in the period covered by this audit.

JC Consulting checks weekly, to see if any of the networks have not entered an historic SUML, which will be reconciled if such a situation occurs.

Audit outcome

Compliant

5.2. Unmetered threshold (Clause 10.14 (2)(b))

Code reference

Clause 10.14 (2)(b)

Code related audit information

The reconciliation participant must ensure that unmetered load does not exceed 3,000 kWh per annum, or 6,000 kWh per annum if the load is predictable and of a type approved and published by the Authority.

Audit observation

The LIS file and the Audit Compliance Report were analysed.

Audit commentary

Hanergy does not trade unmetered load.

Audit outcome

Compliant

5.3. Unmetered threshold exceeded (Clause 10.14 (5))

Code reference

Clause 10.14 (5)

Code related audit information

If the unmetered load limit is exceeded the retailer must:

- *within 20 business days, commence corrective measure to ensure it complies with Part 10*
- *within 20 business days of commencing the corrective measure, complete the corrective measures*
- *no later than 10 business days after it becomes aware of the limit having been exceeded, advise each participant who is or would be expected to be affected of:*
 - o *the date the limit was calculated or estimated to have been exceeded*
 - o *the details of the corrective measures that the retailer proposes to take or is taking to reduce the unmetered load.*

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

5.4. Distributed unmetered load (Clause 11 Schedule 15.3, Clause 15.37B)

Code reference

Clause 11 Schedule 15.3, Clause 15.37B

Code related audit information

An up-to-date database must be maintained for each type of distributed unmetered load for which the retailer is responsible. The information in the database must be maintained in a manner that the resulting submission information meets the accuracy requirements of clause 15.2.

A separate audit is required for distributed unmetered load data bases.

The database must satisfy the requirements of Schedule 15.5 with regard to the methodology for deriving submission information.

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

6. GATHERING RAW METER DATA

6.1. Electricity conveyed & notification by embedded generators(Clause 10.13, Clause 10.24 and 15.13)

Code reference

Clause 10.13, Clause 10.24 and Clause 15.13

Code related audit information

A participant must use the quantity of electricity measured by a metering installation as the raw meter data for the quantity of electricity conveyed through the point of connection.

This does not apply if data is estimated or gifted in the case of embedded generation under clause 15.13.

A trader must, for each electrically connected ICP that is not also an NSP, and for which it is recorded in the registry as being responsible, ensure that:

- *there is 1 or more metering installations*
- *all electricity conveyed is quantified in accordance with the Code*
- *it does not use subtraction to determine submission information for the purposes of Part 15.*

An embedded generator must give notification to the reconciliation manager for an embedded generating station, if the intention is that the embedded generator will not be receiving payment from the clearing manager or any other person through the point of connection to which the notification relates.

Audit observation

The LIS file was analysed. All installations traded by Hanergy are metered. No subtraction method is used to determine submission information provided to the reconciliation manager.

Audit commentary

Hanergy does not trade ICPs with embedded generation. There are no plans to trade such installations in the near future.

During the audit we discussed bridged metering. Hanergy stated that they will not instruct bridging of meters. JC Consulting has a process in place to monitor “active” ICPs to note zero readings where it is known that electricity is used. If such a situation occurs, Hanergy will contact the MEP and request reconnection. They will also ask to be advised of how long the bypass had been in place to assist estimation to be calculated by JC Consulting.

Audit outcome

Compliant

6.2. Responsibility for metering at GIP(Clause 10.26 (6), (7) and (8))

Code reference

Clause 10.26 (6), (7) and (8)

Code related audit information

For each proposed metering installation or change to a metering installation that is a connection to the grid, the participant, must:

- *provide to the grid owner a copy of the metering installation design (before ordering the equipment)*
- *provide at least 3 months for the grid owner to review and comment on the design*

- *respond within 3 business days of receipt to any request from the grid owner for additional details or changes to the design*
- *ensure any reasonable changes from the grid owner are carried out.*

The participant responsible for the metering installation must:

- *advise the reconciliation manager of the certification expiry date not later than 10 business days after certification of the metering installation*
- *become the MEP or contract with a person to be the MEP*
- *advise the reconciliation manager of the MEP identifier no later than 20 days after entering into a contract or assuming responsibility to be the MEP.*

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

6.3. Certification of control devices (Clause 33 Schedule 10.7 and clause 2(2) Schedule 15.3)

Code reference

Clause 33 Schedule 10.7 and clause 2(2) Schedule 15.3

Code related audit information

The reconciliation participant must advise the metering equipment provider if a control device is used to control load or switch meter registers.

The reconciliation participant must ensure the control device is certified prior to using it for reconciliation purposes.

Audit observation

Hanergy uses only the RPS profile for submissions.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

6.4. Reporting of defective metering installations (Clause 10.43(2) and (3))

Code reference

Clause 10.43(2) and (3)

Code related audit information

If a participant becomes aware of an event or circumstance that lead it to believe a metering installation could be inaccurate, defective, or not fit for purpose they must:

- *advise the MEP*
- *include in the advice all relevant details.*

Audit observation

The process related to defective installations was examined. Event logs provided by MEPs is monitored by JC Consulting.

Audit commentary

JC Consulting is validating data provided by MEPs and running reports to identify anomalies in meter readings, which could indicate defective metering installations.

Metering files are uploaded from MEPs by JC Consulting on behalf of Hanergy. After files are uploaded to the RM TOOL, validation is conducted by running a number of reports which assist to identify defective metering. The reports “look for” ICPs with too high or too low consumption, zero readings (not advancing registers). Using these reports JC Consulting can identify bridged meters.

Hanergy has not identified any defective metering installations which could be not fit for purpose.

Audit outcome

Compliant

6.5. Collection of information by certified reconciliation participant (Clause 2 Schedule 15.2)

Code reference

Clause 2 Schedule 15.2

Code related audit information

Only a certified reconciliation participant may collect raw meter data, unless only the MEP can interrogate the meter, or the MEP has an arrangement which prevents the reconciliation participant from electronically interrogating the meter:

2(2) - The reconciliation participant must collect raw meter data used to determine volume information from the services interface or the metering installation or from the MEP.

2(3) - The reconciliation participant must ensure the interrogation cycle is such that it does not exceed the maximum interrogation cycle in the registry .

2(4) - The reconciliation participant must interrogate the meter at least once every maximum interrogation cycle.

2(5) - When electronically interrogating the meter the participant must:

- a) ensure the system is to within +/- 5 seconds of NZST or NZDST*
- b) compare the meter time to the system time*
- c) determine the time error of the metering installation*
- d) if the error is less than the maximum permitted error, correct the meter's clock*
- e) if the time error is greater than the maximum permitted error then:*
 - i) correct the metering installation's clock*
 - ii) compare the metering installation's time with the system time*
 - iii) correct any affected raw meter data.*
- f) download the event log.*

2(6) – The interrogation systems must record:

- the time*
- the date*
- the extent of any change made to the meter clock.*

Audit observation

Meter readings collected by MEPs are downloaded by JC Consulting from their servers.

Audit commentary

Compliance with this clause is assessed during a MEPs audit.

Audit outcome

Compliant

6.6. Derivation of meter readings (Clause 3(1), 3(2) and 5 Schedule 15.2)

Code reference

Clause 3(1), 3(2) and 5 Schedule 15.2

Code related audit information

All meter readings must in accordance with the participants certified processes and procedures and using its certified facilities be sourced directly from raw meter data and, if appropriate, be derived and calculated from financial records.

All validated meter readings must be derived from meter readings.

A meter reading provided by a consumer may be used as a validated meter reading only if another set of validated meter readings not provided by the consumer are used during the validation process.

During the manual interrogation of each NHH metering installation the reconciliation participant must:

- a) obtain the meter register*
- b) ensure seals are present and intact*
- c) check for phase failure (if supported by the meter)*
- d) check for signs of tampering and damage*
- e) check for electrically unsafe situations.*

If the relevant parts of the metering installation are visible and it is safe to do so.

Audit observation

The data collection process was examined.

Audit commentary

Meter reads are received from MEPs. There are 4 non-AMI installations traded by Hanergy. They are fully certified installations but there is a problem with communication. Hanergy reads them regularly themselves following the process described in this clause (photo plus visual inspection of each switchboard). Photos are provided to JC Consulting.

Audit outcome

Compliant

6.7. NHH meter reading application (Clause 6 Schedule 15.2)

Code reference

Clause 6 Schedule 15.2

Code related audit information

For NHH switch event meter reads, for the gaining trader the reading applies from 0000 hours on the day of the relevant event date and for the losing trader at 2400 hours at the end of the day before the relevant event date.

In all other cases, All NHH readings apply from 0000hrs on the day after the last meter interrogation up to and including 2400hrs on the day of the meter interrogation.

Audit observation

The switch read from the CS file is used as a start read for NHH ICPs. Consecutive readings from MEPs apply from 0000hrs on the day after the last meter interrogation up to and including 2400hrs on the day of the meter interrogation.

Audit commentary

Compliance confirmed based on scenarios provided to JC Consulting described in **section 12.11**.

Audit outcome

Compliant

6.8. Interrogate meters once (Clause 7(1) and (2) Schedule 15.2)

Code reference

Clause 7(1) and (2) Schedule 15.2

Code related audit information

Each reconciliation participant must ensure that a validated meter reading is obtained in respect of every meter register for every non half hour metered ICP for which the participant is responsible, at least once during the period of supply to the ICP by the reconciliation participant and used to create volume information.

This may be a validated meter reading at the time the ICP is switched to, or from, the reconciliation participant.

If exceptional circumstances prevent a reconciliation participant from obtaining the validated meter reading, the reconciliation participant is not required to comply with clause 7(1).

Audit observation

The EDA file was examined to identify ICPs which have switched out since the last audit.

Audit commentary

Hanergy lost 3 ICPs since the last audit. All of them were read at least once during the period of supply

Audit outcome

Compliant

6.9. NHH meters interrogated annually (Clause 8(1) and (2) Schedule 15.2)

Code reference

Clause 8(1) and (2) Schedule 15.2

Code related audit information

At least once every 12 months, each reconciliation participant must obtain a validated meter reading for every meter register for non-half hour metered ICPs, at which the reconciliation participant trades continuously for each 12 month period.

If exceptional circumstances prevent a reconciliation participant from obtaining the validated meter reading, the reconciliation participant is not required to comply with clause 8(1).

Audit observation

We reviewed Meter Frequency reports for July'19 to May'20. They are sent to the Authority every month by JC Consulting.

Audit commentary

The read attainment was met.

Audit outcome

Compliant

6.10. NHH meters 90% read rate (Clause 9(1) and (2) Schedule 15.2)

Code reference

Clause 9(1) and (2) Schedule 15.2

Code related audit information

In relation to each NSP, each reconciliation participant must ensure that for each NHH ICP at which the reconciliation participant trades continuously for each 4 months, for which consumption information is required to be reported into the reconciliation process. A validated meter reading is obtained at least once every 4 months for 90% of the non-half hour metered ICPs.

A report is to be sent to the Authority providing the percentage, in relation to each NSP, for which consumption information has been collected no later than 20 business days after the end of each month.

If exceptional circumstances prevent a reconciliation participant from obtaining the validated meter reading, the reconciliation participant is not required to comply with clause 9(1).

Audit observation

We reviewed Meter Frequency reports for July'19 to May'20. They are sent to the Authority every month by JC Consulting.

Audit commentary

The read attainment was met.

Audit outcome

Compliant

6.11. NHH meter interrogation log (Clause 10 Schedule 15.2)

Code reference

Clause 10 Schedule 15.2

Code related audit information

The following information must be logged as the result of each interrogation of the NHH metering:

10(a) - the means to establish the identity of the individual meter reader

10(b) - the ICP identifier of the ICP, and the meter and register identification

10(c) - the method being used for the interrogation and the device ID of equipment being used for interrogation of the meter.

10(d) - the date and time of the meter interrogation.

Audit observation

Meter readings are provided by MEPs except 2 meters read by Hanergy.

Audit commentary

Assessment with this clause is part of the MEPs audit.

A log of participant reads is kept.

Audit outcome

Compliant

6.12. HHR data collection (Clause 11(1) Schedule 15.2)

Code reference

Clause 11(1) Schedule 15.2

Code related audit information

Raw meter data from all electronically interrogated metering installations must be obtained via the services access interface.

This may be carried out by a portable device or remotely.

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

6.13. HHR interrogation data requirement (Clause 11(2) Schedule 15.2)

Code reference

Clause 11(2) Schedule 15.2

Code related audit information

The following information is collected during each interrogation:

11(2)(a) - the unique identifier of the data storage device

11(2)(b) - the time from the data storage device at the commencement of the download unless the time is within specification and the interrogation log automatically records the time of interrogation

11(2)(c) - the metering information, which represents the quantity of electricity conveyed at the point of connection, including the date and time stamp or index marker for each half hour period. This may be limited to the metering information accumulated since the last interrogation

11(2)(d) - the event log, which may be limited to the events information accumulated since the last interrogation

11(2)(e) - an interrogation log generated by the interrogation software to record details of all interrogations.

The interrogation log must be examined by the reconciliation participant responsible for collecting the data and appropriate action must be taken if problems are apparent or an automated software function flags exceptions.

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

6.14. HHR interrogation log requirements (Clause 11(3) Schedule 15.2)

Code reference

Clause 11(3) Schedule 15.2

Code related audit information

The interrogation log forms part of the interrogation audit trail and, as a minimum, must contain the following information:

11(3)(a)- the date of interrogation

11(3)(b)- the time of commencement of interrogation

11(3)(c)- the operator identification (if available)

11(3)(d)- the unique identifier of the meter or data storage device

11(3)(e)- the clock errors outside the range specified in Table 1 of clause 2

11(3)(f)- the method of interrogation

11(3)(g)- the identifier of the reading device used for interrogation (if applicable).

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

7. STORING RAW METER DATA

7.1. Trading period duration (Clause 13 Schedule 15.2)

Code reference

Clause 13 Schedule 15.2

Code related audit information

The trading period duration, normally 30 minutes, must be within $\pm 0.1\%$ (± 2 seconds).

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

7.2. Archiving and storage of raw meter data (Clause 18 Schedule 15.2)

Code reference

Clause 18 Schedule 15.2

Code related audit information

A reconciliation participant who is responsible for interrogating a metering installation must archive all raw meter data and any changes to the raw meter data for at least 48 months, in accordance with clause 8(6) of Schedule 10.6.

Procedures must be in place to ensure that raw meter data cannot be accessed by unauthorised personnel.

Meter readings cannot be modified without an audit trail being created.

Audit observation

The processes to store and archive raw meter data are reviewed during the MEPs audit.

Audit commentary

Metering data is uploaded to the RM TOOL, which unauthorised personnel cannot access. Meter readings are never modified without an audit trail. It was examined during the audit and compliance confirmed.

Participant reads (photos) are archived by Hanergy.

Audit outcome

Compliant

7.3. Non metering information collected / archived (Clause 21(5) Schedule 15.2)

Code reference

Clause 21(5) Schedule 15.2

Code related audit information

All relevant non-metering information, such as external control equipment operation logs, used in the determination of profile data must be collected, and archived in accordance with clause 18.

Audit observation

Hanergy only uses the RPS profile for reconciliation submissions. No external control equipment is used.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

8. CREATING AND MANAGING (INCLUDING VALIDATING, ESTIMATING, STORING, CORRECTING AND ARCHIVING) VOLUME INFORMATION

8.1. Correction of NHH meter readings (Clause 19(1) Schedule 15.2)

Code reference

Clause 19(1) Schedule 15.2

Code related audit information

If a reconciliation participant detects errors while validating non-half hour meter readings, the reconciliation participant must:

19(1)(a) - confirm the original meter reading by carrying out another meter reading

19(1)(b) - replace the original meter reading the second meter reading (even if the second meter reading is at a different date)

19(1A) if a reconciliation participant detects errors while validating non half hour meter readings, but the reconciliation participant cannot confirm the original meter reading or replace it with a meter reading from another interrogation, the reconciliation participant must:

- *substitute the original meter reading with an estimated reading that is marked as an estimate; and*
- *subsequently replace the estimated reading in accordance with clause 4(2)*

Audit observation

Correction of NHH readings, if necessary, is completed by JC Consulting.

Audit commentary

If correction of NHH readings is necessary it will be done in conjunction with Hanergy. It will be done in the RM TOOL; any changes will have an audit trail.

JC Consulting confirmed that there were no corrections of NHH data in the period covered by this audit.

Audit outcome

Compliant

8.2. Correction of HHR metering information (Clause 19(2) Schedule 15.2)

Code reference

Clause 19(2) Schedule 15.2

Code related audit information

If a reconciliation participant detects errors while validating half hour meter readings, the reconciliation participant must correct the meter readings as follows:

19(2)(a) - if the relevant metering installation has a check meter or data storage device, substitute the original meter reading with data from the check meter or data storage device; or

19(2)(b) - if the relevant metering installation does not have a check meter or data storage device, substitute the original meter reading with data from another period provided:

- (i) *The total of all substituted intervals matches the total consumption recorded on a meter, if available; and*
- (ii) *The reconciliation participant considers the pattern of consumption to be materially similar to the period in error*

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

8.3. Error and loss compensation arrangements (Clause 19(3) Schedule 15.2)

Code reference

Clause 19(3) Schedule 15.2

Code related audit information

A reconciliation participant may use error compensation and loss compensation as part of the process of determining accurate data. Whichever methodology is used, the reconciliation participant must document the compensation process and comply with audit trail requirements set out in the Code.

Audit observation

Hanergy trades category 1 and 2 (1 ICP) metering installations only.

Audit commentary

No error or loss compensation needs to be applied to metering data.

Audit outcome

Compliant

8.4. Correction of HHR and NHH raw meter data (Clause 19(4) and (5) Schedule 15.2)

Code reference

Clause 19(4) and (5) Schedule 15.2

Code related audit information

In correcting a meter reading in accordance with clause 19, the raw meter data must not be overwritten. If the raw meter data and the meter readings are the same, an automatic secure backup of the affected data must be made and archived by the processing or data correction application.

If data is corrected or altered, a journal must be generated and archived with the raw meter data file. The journal must contain the following:

19(5)(a)- the date of the correction or alteration

19(5)(b)- the time of the correction or alteration

19(5)(c)- the operator identifier for the person within the reconciliation participant who made the correction or alteration

19(5)(d)- the half-hour metering data or the non-half hour metering data corrected or altered, and the total difference in volume of such corrected or altered data

19(5)(e)- the technique used to arrive at the corrected data

19(5)(f)- the reason for the correction or alteration.

Audit observation

Corrections of NHH data are discussed in **section 8.1**. Raw data is retained by MEPS, Hanergy only receives a copy of raw data, which is never overwritten by its agent, JC Consulting.

Audit trails were described in **section 2.3** and **8.1**.

Audit commentary

The company and JC Consulting stated that there were no instances of meter data which required correction or alteration.

Audit outcome

Compliant

9. ESTIMATING AND VALIDATING VOLUME INFORMATION

9.1. Identification of readings (Clause 3(3) Schedule 15.2)

Code reference

Clause 3(3) Schedule 15.2

Code related audit information

All estimated readings and permanent estimates must be clearly identified as an estimate at source and in any exchange of metering data or volume information between participants.

Audit observation

Data received from MEPs is actual and flagged as actual. Any estimated data is flagged accordingly in the RM TOOL.

Audit commentary

We reviewed a sample of six readings in the RM TOOL and confirmed they were correctly labelled. Each register read or interval read has a flag assigned.

Audit outcome

Compliant

9.2. Derivation of volume information (Clause 3(4) Schedule 15.2)

Code reference

Clause 3(4) Schedule 15.2

Code related audit information

Volume information must be directly derived, in accordance with Schedule 15.2, from:

3(4)(a) - validated meter readings

3(4)(b) - estimated readings

3(4)(c) - permanent estimates.

Audit observation

JC Consulting provided a submission summary for the audit period.

Audit commentary

In **section 11** and **12** we reviewed the data provided by JC Consulting to confirm that volumes were based on readings as required.

Audit outcome

Compliant

9.3. Meter data used to derive volume information (Clause 3(5) Schedule 15.2)

Code reference

Clause 3(5) Schedule 15.2

Code related audit information

All meter data that is used to derive volume information must not be rounded or truncated from the stored data from the metering installation.

Audit observation

We reviewed the submission data for Mar'20 to May'20.

Audit commentary

Data provided by MEPs is downloaded to the RM TOOLS. Data is not truncated or rounded. We walked through NGCM and MTRX data and confirm compliance. Submission volumes are rounded to two decimal places.

Audit outcome

Compliant

9.4. Half hour estimates (Clause 15 Schedule 15.2)

Code reference

Clause 15 Schedule 15.2

Code related audit information

If a reconciliation participant is unable to interrogate an electronically interrogated metering installation before the deadline for providing submission information, the submission to the reconciliation manager must be the reconciliation participant's best estimate of the quantity of electricity that was purchased or sold in each trading period during any applicable consumption period for that metering installation.

The reconciliation participant must use reasonable endeavours to ensure that estimated submission information is within the percentage specified by the Authority.

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

9.5. NHH metering information data validation (Clause 16 Schedule 15.2)

Code reference

Clause 16 Schedule 15.2

Code related audit information

Each validity check of non-half hour meter readings and estimated readings must include the following:

16(2)(a) - confirmation that the meter reading or estimated reading relates to the correct ICP, meter, and register

16(2)(b) - checks for invalid dates and times

16(2)(c) - confirmation that the meter reading or estimated reading lies within an acceptable range compared with the expected pattern, previous pattern, or trend

16(2)(d) - confirmation that there is no obvious corruption of the data, including unexpected 0 values.

Audit observation

NHH metering information data validation is conducted by JC Consulting. We reviewed the process and found it compliant.

Audit commentary

JC Consulting adopted a validation process for NHH reads which consists of checking for high, low reads, consumption detected >10% of rollover amount, consumption on de energised sites, missing reads, negative consumption.

Audit outcome

Compliant

9.6. Electronic meter readings and estimated readings (Clause 17 Schedule 15.2)

Code reference

Clause 17 Schedule 15.2

Code related audit information

Each validity check of electronically interrogated meter readings and estimate readings must be at a frequency that will allow a further interrogation of the data storage device before the data is overwritten within the data storage device and before this data can be used for any purpose under the Code.

Each validity check of a meter reading obtained by electronic interrogation or an estimated reading must include:

17(4)(a) - checks for missing data

17(4)(b) - checks for invalid dates and times

17(4)(c) - checks of unexpected 0 values

17(4)(d) - comparison with expected or previous flow patterns

17(4)(e) - comparisons of meter readings with data on any data storage device registers that are available

17(4)(f) - a review of meter and data storage device event list. Any event that could have affected the integrity of metering data must be investigated.

Audit observation

JC Consulting receives remotely read metering data from MEPS.

Audit commentary

When data is uploaded into the RM TOOL a validity check of meter readings is conducted and an exception report is created. MEPS are advised if there is an issue. The event logs are reviewed.

Audit outcome

Compliant

10. PROVISION OF METERING INFORMATION TO THE GRID OWNER IN ACCORDANCE WITH SUBPART 4 OF PART 13 (CLAUSE 15.38(1)(F))

10.1. Generators to provide HHR metering information (Clause 13.136)

Code reference

Clause 13.136

Code related audit information

The generator (and/or embedded generator) must provide to the grid owner connected to the local network in which the embedded generator is located, half hour metering information in accordance with clause 13.138 in relation to generating plant that is subject to a dispatch instruction:

- *that injects electricity directly into a local network; or*
- *if the meter configuration is such that the electricity flows into a local network without first passing through a grid injection point or grid exit point metering installation.*

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

10.2. Unoffered & intermittent generation provision of metering information (Clause 13.137)

Code reference

Clause 13.137

Code related audit information

Each generator must provide the relevant grid owner half-hour metering information for:

- *any unoffered generation from a generating station with a point of connection to the grid 13.137(1)(a)*
- *any electricity supplied from an intermittent generating station with a point of connection to the grid. 13.137(1)(b)*

The generator must provide the relevant grid owner with the half-hour metering information required under this clause in accordance with the requirements of Part 15 for the collection of that generator's volume information. (clause 13.137(2))

If such half-hour metering information is not available, the generator must provide the pricing manager and the relevant grid owner a reasonable estimate of such data. (clause 13.137(3))

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

10.3. Loss adjustment of HHR metering information (Clause 13.138)

Code reference

Clause 13.138

Code related audit information

The generator must provide the information required by clauses 13.136 and 13.137,

13.138(1)(a)- adjusted for losses (if any) relative to the grid injection point or, for embedded generators the grid exit point, at which it offered the electricity

13.138(1)(b)- in the manner and form that the pricing manager stipulates

13.138(1)(c)- by 0500 hours on a trading day for each trading period of the previous trading day.

The generator must provide the half-hour metering information required under this clause in accordance with the requirements of Part 15 for the collection of the generator's volume information.

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

10.4. Notification of the provision of HHR metering information (Clause 13.140)

Code reference

Clause 13.140

Code related audit information

If the generator provides half-hourly metering information to a grid owner under clauses 13.136 to 13.138, or 13.138A, it must also, by 0500 hours of that day, advise the relevant grid owner.

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

11. PROVISION OF SUBMISSION INFORMATION FOR RECONCILIATION

11.1. Buying and selling notifications (Clause 15.3)

Code reference

Clause 15.3

Code related audit information

Unless an embedded generator has given a notification in respect of the point of connection under clause 15.3, a trader must give notice to the reconciliation manager if it is to commence or cease trading electricity at a point of connection using a profile with a profile code other than HHR, RPS, UML, EG1, or PV1 at least five business days before commencing or ceasing trader.

The notification must comply with any procedures or requirements specified by the reconciliation manager.

Audit observation

The LIS file was used to identify which profiles are used by Hanergy.

Audit commentary

For submissions Hanergy uses the profiles of HHR and RPS. Trading notifications were not required.

Audit outcome

Compliant

11.2. Calculation of ICP days (Clause 15.6)

Code reference

Clause 15.6

Code related audit information

Each retailer and direct purchaser (excluding direct consumers) must deliver a report to the reconciliation manager detailing the number of ICP days for each NSP for each submission file of submission information in respect of:

15.6(1)(a) - submission information for the immediately preceding consumption period, by 1600 hours on the 4th business day of each reconciliation period

15.6(1)(b) - revised submission information provided in accordance with clause 15.4(2), by 1600 hours on the 13th business day of each reconciliation period.

The ICP days information must be calculated using the data contained in the retailer or direct purchaser's reconciliation system when it aggregates volume information for ICPs into submission information.

Audit observation

The ICP days are reported to the reconciliation manager by JC Consulting as Hanergy's agent. For audit purposes JC Consulting provided AV-100 and GR-100 for the audit period.

Audit commentary

Analysis of GR-100 showed that the number of days calculated by the registry and the RM TOOL were the same or there were small discrepancies for initial submissions caused by late switches or withdrawn switches.

Audit outcome

Compliant

11.3. Electricity supplied information provision to the reconciliation manager (Clause 15.7)

Code reference

Clause 15.7

Code related audit information

A retailer must deliver to the reconciliation manager its total monthly quantity of electricity supplied for each NSP, aggregated by invoice month, for which it has provided submission information to the reconciliation manager, including revised submission information for that period as non-loss adjusted values in respect of:

15.7(a) - submission information for the immediately preceding consumption period, by 1600 hours on the 4th business day of each reconciliation period


15.7(b) - revised submission information provided in accordance with clause 15.4(2), by 1600 hours on the 13th business day of each reconciliation period.

Audit observation

JC Consulting submits AV-120 every month for the current month and scheduled revisions on behalf of Hanergy.

Audit commentary

The graph below shows a comparison between volumes submitted and supplied. The last audit noted non-compliance because energy supplied is currently calculated by JC Consulting from the previous months initial network volumes. Hanergy changed their process to provide energy consumption from their billing system.



Audit outcome

Compliant

11.4. HHR aggregates information provision to the reconciliation manager (Clause 15.8)

Code reference

Clause 15.8

Code related audit information

A retailer or direct purchaser (excluding direct consumers) must deliver to the reconciliation manager its total monthly quantity of electricity supplied for each half hourly metered ICP for which it has provided submission information to the reconciliation manager, including:

15.8(a) - submission information for the immediately preceding consumption period, by 1600 hours on the 4th business day of each reconciliation period

15.8(b) - revised submission information provided in accordance with clause 15.4(2), by 1600 hours on the 13th business day of each reconciliation period.

Audit observation

This clause is not applicable.

Audit commentary

This clause is not applicable.

Audit outcome

Not applicable

12. SUBMISSION COMPUTATION

12.1. Daylight saving adjustment (Clause 15.36)

Code reference

Clause 15.36

Code related audit information

The reconciliation participant must provide submission information to the reconciliation manager that is adjusted for NZDT using 1 of the techniques set out in clause 15.36(3) specified by the Authority.

Audit observation

Hanergy trades NHH ICPs only.

Audit commentary

This clause is not applicable. Compliance was not assessed.

Audit outcome

Compliant

12.2. Creation of submission information (Clause 15.4)

Code reference

Clause 15.4

Code related audit information

By 1600 hours on the 4th business day of each reconciliation period, the reconciliation participant must deliver submission information to the reconciliation manager for all NSPs for which the reconciliation participant is recorded in the registry as having traded electricity during the consumption period immediately before that reconciliation period (in accordance with Schedule 15.3).

By 1600 hours on the 13th business day of each reconciliation period, the reconciliation participant must deliver submission information to the reconciliation manager for all points of connection for which the reconciliation participant is recorded in the registry as having traded electricity during any consumption period being reconciled in accordance with clauses 15.27 and 15.28, and in respect of which it has obtained revised submission information (in accordance with Schedule 15.3).

Audit observation

Alleged breaches during the audit period were reviewed to determine whether any reconciliation submissions were late.

JC Consulting calculates and provides reconciliation files on behalf of Hanergy.

Audit commentary

No breaches had been recorded for the late provision of submission information. Volumes were provided for all traded ICPs.

Audit outcome

Compliant

12.3. Allocation of submission information (Clause 15.5)

Code reference

Clause 15.5

Code related audit information

In preparing and submitting submission information, the reconciliation participant must allocate volume information for each ICP to the NSP indicated by the data held in the registry for the relevant consumption period at the time the reconciliation participant assembles the submission information. Volume information must be derived in accordance with Schedule 15.2.

However, if, in relation to a point of connection at which the reconciliation participant trades electricity, a notification given by an embedded generator under clause 15.13 for an embedded generating station is in force, the reconciliation participant is not required to comply with the above in relation to electricity generated by the embedded generating station.

Audit observation

The process for aggregating the AV-080 files was examined by checking submissions for Dec'19 to May'20.

Audit commentary

JC Consulting refreshes information from the registry prior to running reconciliation reports to ensure accuracy of data (ICP statuses, NSP allocation, loss factor codes). We confirm that the AV-080 files were consistent with the registry information for months Dec'19 to May'20. We compared consecutive submissions and confirm all contained the same NSPs.

The RM TOOL has the functionality to submit zero volumes for an NSP which no longer has any ICPs where a particular combination of NSP and loss factor code exists.

Audit outcome

Compliant

12.4. Grid owner volumes information (Clause 15.9)

Code reference

Clause 15.9

Code related audit information

The participant (if a grid owner) must deliver to the reconciliation manager for each point of connection for all of its GXPs, the following:

- *submission information for the immediately preceding consumption period, by 1600 hours on the 4th business day of each reconciliation period (clause 15.9(a))*
- *revised submission information provided in accordance with clause 15.4(2), by 1600 hours on the 13th business day of each reconciliation period. (clause 15.9(b))*

Audit observation

Hanergy is not a grid owner.

Audit commentary

This clause is not applicable. Compliance was not assessed.

Audit outcome

Not applicable

12.5. Provision of NSP submission information (Clause 15.10)

Code reference

Clause 15.10

Code related audit information

The participant (if a local or embedded network owner) must provide to the reconciliation manager for each NSP for which the participant has given a notification under clause 25(1) Schedule 11.1 (which relates to the creation, decommissioning, and transfer of NSPs) the following:

- *submission information for the immediately preceding consumption period, by 1600 hours on the 4th business day of each reconciliation period (clause 15.10(a))*
- *revised submission information provided in accordance with clause 15.4(2), by 1600 hours on the 13th business day of each reconciliation period. (clause 15.10(b))*

Audit observation

Hanergy is not an embedded network owner.

Audit commentary

This clause is not applicable. Compliance was not assessed.

Audit outcome

Not applicable

12.6. Grid connected generation (Clause 15.11)

Code reference

Clause 15.11

Code related audit information

The participant (if a grid connected generator) must deliver to the reconciliation manager for each of its points of connection, the following:

- *submission information for the immediately preceding consumption period, by 1600 hours on the 4th business day of each reconciliation period (clause 15.11(a))*
- *revised submission information provided in accordance with clause 15.4(2), by 1600 hours on the 13th business day of each reconciliation period. (clause 15.11(b))*

Audit observation

Hanergy is not a generator.

Audit commentary

This clause is not applicable. Compliance was not assessed.

Audit outcome

Not applicable

12.7. Accuracy of submission information (Clause 15.12)

Code reference

Clause 15.12

Code related audit information

If the reconciliation participant has submitted information and then subsequently obtained more accurate information, the participant must provide the most accurate information available to the reconciliation manager or participant, as the case may be, at the next available opportunity for submission (in accordance with clauses 15.20A, 15.27, and 15.28).

Audit observation

All relevant revisions were submitted on day 13 by JC Consulting.

Audit commentary

A review of alleged breaches confirmed that no reconciliation submissions were made late.

JC Consulting provided evidence that any updates to metering information are submitted to the RM. On day 4 JC Consulting used Hanergy's own profile to calculate NHH submissions, they are replaced as soon as GR-030 is available.

Audit outcome

Compliant

12.8. Permanence of meter readings for reconciliation (Clause 4 Schedule 15.2)

Code reference

Clause 4 Schedule 15.2

Code related audit information

Only volume information created using validated meter readings, or if such values are unavailable, permanent estimates, has permanence within the reconciliation processes (unless subsequently found to be in error).

The relevant reconciliation participant must, at the earliest opportunity, and no later than the month 14 revision cycle, replace volume information created using estimated readings with volume information created using validated meter readings.

If, despite having used reasonable endeavours for at least 12 months, a reconciliation participant has been unable to obtain a validated meter reading, the reconciliation participant must replace volume information created using an estimated reading with volume information created using a permanent estimate in place of a validated meter reading.

Audit observation

Reconciliation files are submitted by JC Consulting.

Audit commentary

We reviewed AV-080 for Feb'19 and Mar'19. All volumes for 8 NSPs were historical estimates.

Audit outcome

Compliant

12.9. Reconciliation participants to prepare information (Clause 2 Schedule 15.3)

Code reference

Clause 2 Schedule 15.3

Code related audit information

If a reconciliation participant prepares submission information for each NSP for the relevant consumption periods in accordance with the Code, such submission information for each ICP must comprise the following:

- *half hour volume information for the total metered quantity of electricity for each ICP notified in accordance with clause 11.7(2) for which there is a category 3 or higher metering installation (clause 2(1)(a)) for each ICP about which information is provided under clause 11.7(2) for which there is a category 1 or category 2 metering installation (clause 2(1)(b)):*
 - a) *any half hour volume information for the ICP; or*
 - b) *any non-half hour volumes information calculated under clauses 4 to 6 (as applicable).*
 - c) *unmetered load quantities for each ICP that has unmetered load associated with it derived from the quantity recorded in the registry against the relevant ICP and the number of days in the period, the distributed unmetered load database, or other sources of relevant information. (clause 2(1)(c))*
- *to create non half hour submission information a reconciliation participant must only use information that is dependent on a control device if (clause 2(2)):*
 - a) *the certification of the control device is recorded in the registry; or*
 - b) *the metering installation in which the control device is location has interim certification.*
- *to create submission information for a point of connection the reconciliation participant must apply to the raw meter data (clause 2(3)):*
 - a) *for each ICP, the compensation factor that is recorded in the registry (clause 2(3)(a))*
 - b) *for each NSP the compensation factor that is recorded in the metering installations most recent certification report. (clause 2(3)(b))*

Audit observation

The LIS files were examined. Hanergy trades only NHH ICPs using the profile RPS. Reconciliation files are submitted by JC Consulting.

Audit commentary

No ICPs with unmetered load are supplied.

Hanergy only uses the RPS profile; no certified control devices were used to create volumes.

We crosschecked the registry file and reconciliation files for three months and confirm that volumes were submitted for all ICPs.

Audit outcome

Compliant

12.10. Historical estimates and forward estimates (Clause 3 Schedule 15.3)

Code reference

Clause 3 Schedule 15.3

Code related audit information

For each ICP that has a non-half hour metering installation, volume information derived from validated meter readings, estimated readings, or permanent estimates must be allocated to consumption periods using the following techniques to create historical estimates and forward estimates. (clause 3(1))

Each estimate that is a forward estimate or a historical estimate must clearly be identified as such. (clause 3(2))

If validated meter readings are not available for the purpose of clauses 4 and 5, permanent estimates may be used in place of validated meter readings. (clause 3(3))

Audit observation

We reviewed AV-080 for July'19 to May'20.

Audit commentary

Historical and forward estimates were included and identified correctly.

Audit outcome

Compliant

12.11. Historical estimate process (Clause 4 and 5 Schedule 15.3)

Code reference

Clause 4 and 5 Schedule 15.3

Code related audit information

The methodology outlined in clause 4 of Schedule 15.3 must be used when preparing historic estimates of volume information for each ICP when the relevant seasonal adjustment shape is available.

If a seasonal adjustment shape is not available, the methodology for preparing an historical estimate of volume information for each ICP must be the same as in clause 4, except that the relevant quantities kWh_{px} must be prorated as determined by the reconciliation participant using its own methodology or on a flat shape basis using the relevant number of days that are within the consumption period and within the period covered by kWh_{px} .

Audit observation

According to the EDA files for the period covered by this audit there were no changes to ICPs statuses.

Audit commentary

We asked JC Consulting to provide examples of calculations relevant to Hanergy. Most meters are read remotely, in most cases, no forwards estimates are calculated. There are 4 non-AMI meters for which Hanergy conducts reads.

The scenarios provided are listed below:

- ICP gained
- ICP lost
- Reads span a month

We confirm that calculations were correct.

Audit outcome

Compliant

12.12. Forward estimate process (Clause 6 Schedule 15.3)

Code reference

Clause 6 Schedule 15.3

Code related audit information

Forward estimates may be used only in respect of any period for which an historical estimate cannot be calculated.

The methodology used for calculating a forward estimate may be determined by the reconciliation participant, only if it ensures that the accuracy is within the percentage of error specified by the Authority.

Audit observation

Forward estimates are calculated by JC Consulting if required.

Audit commentary

Forward estimates are based on the average daily consumption provided by the losing trader in the CS file, or historic consumption.

We checked GR-170NHH to analyse variances between consecutive submissions. There were small variances between revisions or not at all.

Hanergy does not trade any balancing area where the total energy supplied is more than 100,000 kWh.

Audit outcome

Compliant

12.13. Compulsory meter reading after profile change (Clause 7 Schedule 15.3)

Code reference

Clause 7 Schedule 15.3

Code related audit information

If the reconciliation participant changes the profile associated with a meter, it must, when determining the volume information for that meter and its respective ICP, use a validated meter reading or permanent estimate on the day on which the profile change is to take effect.

The reconciliation participant must use the volume information from that validated meter reading or permanent estimate in calculating the relevant historical estimates of each profile for that meter.

Audit observation

WE reviewed the EDA file for the audit period.

Audit commentary

There were no profile changes. Hanergy only uses the RPS profile.

Audit outcome

Compliant

13. SUBMISSION FORMAT AND TIMING

13.1. Provision of submission information to the RM (Clause 8 Schedule 15.3)

Code reference

Clause 8 Schedule 15.3

Code related audit information

For each category 3 of higher metering installation, a reconciliation participant must provide half hour submission information to the reconciliation manager.

For each category 1 or category 2 metering installation, a reconciliation participant must provide to the reconciliation manager:

- *Half hour submission information; or*
- *Non half hour submission information; or*
- *A combination of half hour submission information and non-half hour submission information*

However, a reconciliation participant may instead use a profile if:

- *The reconciliation participant is using a profile approved in accordance with clause Schedule 15.5; and*
- *The approved profile allows the reconciliation participant to provide half hour submission information from a non-half hour metering installation; and*
- *The reconciliation participant provides submission information that complies with the requirements set out in the approved profile.*

Half hour submission information provided to the reconciliation manager must be aggregated to the following levels:

- *NSP code*
- *reconciliation type*
- *profile*
- *loss category code*
- *flow direction*
- *dedicated NSP*
- *trading period*

The non-half hour submission information that a reconciliation participant submits must be aggregated to the following levels:

- *NSP code*
- *reconciliation type*
- *profile*
- *loss category code*
- *flow direction*
- *dedicated NSP*
- *consumption period or day*

Audit observation

JC Consulting provided submission files for July'19 to May'20.

Audit commentary

We reviewed files and confirm that the format of submission files is compliant.

Audit outcome

Compliant

13.2. Reporting resolution (Clause 9 Schedule 15.3)

Code reference

Clause 9 Schedule 15.3

Code related audit information

When reporting submission information, the number of decimal places must be rounded to not more than 2 decimal places.

If the unrounded digit to the right of the second decimal place is greater than or equal to 5, the second digit is rounded up, and

If the digit to the right of the second decimal place is less than 5, the second digit is unchanged.

Audit observation

We reviewed submission files for July'19 to May'20.

Audit commentary

Submission information for NHH and HHR is rounded to two decimal places. It was discussed during the audit as to how submission information was calculated, and JC Consulting confirm that submission volumes are rounded, using a method prescribed by this clause, at the end of calculations.

Audit outcome

Compliant

13.3. Historical estimate reporting to RM (Clause 10 Schedule 15.3)

Code reference

Clause 10 Schedule 15.3

Code related audit information

By 1600 hours on the 13th business day of each reconciliation period the reconciliation participant must report to the reconciliation manager the proportion of historical estimates per NSP contained within its non-half hour submission information.

The proportion of submission information per NSP that is comprised of historical estimates must (unless exceptional circumstances exist) be:

- *at least 80% for revised data provided at the month 3 revision (clause 10(3)(a))*
- *at least 90% for revised data provided at the month 7 revision (clause 10(3)(b))*
- *100% for revised data provided at the month 14 revision. (clause 10(3)(c))*

Audit observation

JC Consulting creates and submits reconciliation files for NHH ICPs. We reviewed NHHVOLs and GR-70 NHH created by the reconciliation manager for the audit period.

Audit commentary

We checked rev 3, 7 and 14 submitted in the audit period. All submissions (AV-080) met this clause requirement.

Audit outcome

Compliant

CONCLUSION

PARTICIPANT RESPONSE