

# **Electricity Authority**

Service Report and User Guide January 2022

Prepared by Jade Operations



Jade Software Corporation Limited cannot accept any financial or other responsibilities that may be the result of your use of this information or software material, including direct, indirect, special or consequential damages, or loss of profits. There are no warranties extended or granted by this document or software material.

You should be very careful to ensure that the use of this software material and/or information complies with the laws, rules, and regulations of the jurisdictions with respect to which it is used. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Jade Software Corporation Limited.

The information contained herein is subject to change without notice. Revisions may be issued advising of such changes and/or additions.

© 2022 Jade Software Corporation Limited.

All rights reserved.

JADE is a trademark of Jade Software Corporation Limited. All trade names referenced are the service mark, trademark, or registered trademark of the respective manufacturer.

## **Table of Contents**

OPERATIONAL ITEMS	
Performance Standards	4
Adhoc Reporting Statistics	
Batch File Statistics	
Provider Code or agreement breach	
Other Information	
Business Continuity Plan Test	
Summary of Incidents	
Software Related Fixes and Enhancements	10
Data Fixes	
Schedule of Issues Raised	11
Database Transactions Production	12
Transaction Volumes	
Service Disruptions (Production)	
Application Release Activities	
Other Activities	
Backup Performance Production	
Electricity Authority Contact Information	
Automated Fault Escalation Profiles – Priority A Incidents	
Status of Functional Specification	
Status of CR's and SDA's	15
Design Consultation	
Provider initiated Audits	17
Breaches	
Code Changes to be considered	17
User Group Meetings	17
AGREED PROCEDURES	18
Change Control	
Application Release Authorisation	
Application Restarts	
Hardware Fault Reporting	
Anti-Virus Product	
Recovery Procedures	
Server Integrity	
Reporting	
Software Licences and Media Storage	
Personnel and Contact Details	
TOTO THE GOLD CONTROL DOLLING THE STATE OF T	

## **OPERATIONAL ITEMS**

## **Performance Standards**

Measurement	Requirement	Actual	Met	Ref
Number and detail of service Provider Code or agreement breaches and details	Report delivered to Authority detailing breaches		Yes	Schedule 2 Non-functional requirements 5.2 table 1
Disaster recovery and backup obligations			Yes	Schedule 2 Non-functional requirements Section 7 (7.1 and 7.4)
Number and details of participant rule breaches	Report on 1 <sup>st</sup> business day delivered to Authority SFTP directory	01Feb22 at 02:41	Yes	
Maximum number of concurrent users for month		1457	Yes	Schedule 2 Non-functional requirements 2.7
During regular service hours (0730 hours to 1930 hours each day), the provider must ensure that the system is available to participants for no less than 99.9 per cent of the time in any one month. This statistic considers that planned, pre-approved, non-urgent maintenance outages are not included in the calculation of availability		100%	Yes	Schedule 2 Non-functional requirements 5.2 table 1
Outside regular service hours (between 1930 hours and 0730 hours) the provider must ensure that the system is available to participants for no less than 98.0 per cent of the time in any month. This statistic considers that planned outages will not count against availability level targets.		100%	Yes	Schedule 2 Non-functional requirements 5.2 table 1
The Registry must use its best endeavours to provide a service availability of 99.8 per cent or better, with nil or minimal outages.		100%	Yes	

Unless otherwise approved in writing in advance by the Authority (such timely approval not to be unreasonably withheld) there must be no more than two planned outages per month, one of which is reserved for the monthly production release of software. Each planned outage must be at a time to be agreed by the parties and be no more than 2 hours in duration. Any planned outage of more than 2 hours duration must have the prior approval of the Authority, such timely approval not to be unreasonably withheld.  Approved, pre-planned outages do not count against service level targets.		1) Scheduled outage 30 January to install Microsoft patches.	Yes	Schedule 2 Non-functional requirements 5.3
Service response time of transactions sampled at regular intervals (every 1–5) minutes as agreed between the Authority and the Provider) during regular service hours for the system at the delineation point of the system to external communications providers			Yes	Schedule 2 Non-functional requirements 5.2 table 1
96% of all sampled transactions will have a response time of less than 2 seconds for all the components managed by the system at the delineation point of the Registry network.		<2 =99.85%	Yes	Schedule 2 Non-functional requirements 5.2 table 1
Longest time period in seconds		37		
Percentage of transactions exceeding 2 seconds		0.15%		
90% will have a response time of less than 1 second for all the components managed by the system at the delineation point of the Registry network  Percentage of transactions exceeding 1 second		<1 =99.68% 0.32%	Yes	Schedule 2 Non-functional requirements 5.2 table 1
Number of password lockout alerts.		0		Schedule 2
Investigation of all repeated lockout alerts required.				Non-functional requirements 25.1 (n)
Help desk available	7:30 to 19:30 hours each business day	100%	Yes	Clause 11.20
Registry reports to participants day 1 09:00	09:00 hours on the first business day of the month	31Jan22 20:45	Yes	Clause 11 of Schedule 11.1
Issuing of confirmation notices within 4 hours of receipt of information provided			Yes	Clause 11.21
Number of ICP's changing traders	16:00 on the 6 <sup>th</sup> business day of the month		Yes	Clause 11.23

## **Jade**\*

	I .			1
Such other information as may be agreed from time to time between the Registry and the Board	16:00 on the 6 <sup>th</sup> business day of the month		Yes	Clause 11.23
Reports to the clearing manager and systems manager by 16:00 on first business day of the month	16:00 on first business day	01Feb2022 00:28	Yes	Clause 11.24
By 16:00 on 4 <sup>th</sup> business day deliver to the reconciliation manager the ICP days report	16:00 on 4 <sup>th</sup> business day	04Feb2022 01:23	Yes	Clause 11.26
By 16:00 on 4 <sup>th</sup> business day deliver to the reconciliation manager the loss factors report	16:00 on 4 <sup>th</sup> business day	02Feb2022 00:00	Yes	Clause 11.26
By 16:00 on 4 <sup>th</sup> business day deliver to the reconciliation manager the balancing area report	16:00 on 4 <sup>th</sup> business day	02Feb2022 00:00	Yes	Clause 11.26
By 16:00 on 4 <sup>th</sup> business day deliver to the reconciliation manager the half hour identifiers report	16:00 on 4 <sup>th</sup> business day	04Feb2022 04:57	Yes	Clause 11.26
By 16:00 on 1 <sup>st</sup> business day deliver to the market administrator (Authority) a report summarising events that have not been notified to the Registry with specified time frames	16:00 on 1 <sup>st</sup> business day	01Feb2022 00:00	Yes	Clause 11.27
Notifications or change within the Registry to participants affected	Same day		Yes	Clause 11.29
Registry to publish Schedule of loss category code and loss factors	Within one day of notification of change		Yes	Clause 22 of Schedule 11.1
Registry to publish Schedule of mapping between NSP's and balancing areas	Within one business day of notification of change		Yes	Clause 24 of Schedule 11.1
Registry to publish Schedule of all NSP identifiers and supporting information	Within one business day of notification of change		Yes	Clause 30 of Schedule 11.1

## **Adhoc Reporting Statistics**

Report	Run	Complete	Average time (seconds)
Change Network Creation Date	1	1	0.6
Distributor Maintenance	2125	2125	1.3
Metering Maintenance	1225	1225	5.6
NSP Mapping Maintenance	31	31	6.7
Report - Audit Compliance	149	149	1112.3
Report - Breach Current	365	365	0.9
Report - Current Details	84	84	602.8
Report - Event Detail	25710	25710	84.5
Report - File Audits	3	3	0.3
Report - File Handler Status	1	1	0.1
Report - ICP List	4792	4792	174.4
Report - Loss Factor Codes	40	40	5.4
Report - Maintenance Breach	186	186	0.2
Report - Metering Installation Information	480	480	896.0
Report - Missing Metering Data	5	5	407.2
Report - NSP Mappings	34	34	3.4
Report - Switch Breach History	91	91	25.0
Report - Trader Default Status Report	1	1	5.3
Request - Switch Resend	18	18	1.0
Switch AC	811	811	0.2
Switch AN	11781	11781	0.2
Switch AW	1798	1798	0.5
Switch CS	11432	11432	0.9

## **jade**\*


Switch MN	191	191	1.3
Switch NT	16098	16098	0.3
Switch NW	2037	2037	0.2
Switch RR	1019	1019	0.2
Trader Maintenance	2173	2173	3.8
Totals	82681	82681	44.7
Number of Reports successfully Re-Processed	6		

#### **Batch File Statistics**

Total	Complete	Completed by 07:30	Not completed by 07:30
81598	81598	81598	0



## **Provider Code or agreement breach**



#### Other Information

The following reports/files are supplied to the Authority by the 6th business day of each month (unless otherwise specified) to the SFTP server:

- ICP's electrically connected, electrically disconnected, decommissioned and switched by Retailer and NSP
- ICP's electrically connected, electrically disconnected, decommissioned and switched by Retailer
- ICP's electrically connected, electrically disconnected, decommissioned and switched by Distributor
- Report PR-130 as defined in functional specification
- Details of participant rule breaches (supplied on first business day)
- Details of participant switch breaches (supplied on first business day)

#### **Business Continuity Plan Test**

The following annual tests were completed in April 2021 (Jade Tracker #918553 refers);

- 1. Placing 2 test calls to the people below advising them that this is a test call to confirm contactability in a Business Continuity event
- a) Saki Hannah Acting Manager Market Operations 04 460 8877
- b) Jade BCM Manager.
- 2. Have a Jade Developer log in from home to confirm connectivity.

jade<sup>\*</sup>

## **Summary of Incidents**

There were no incidents this month.

## **Software Related Fixes and Enhancements**

ID	Description	Response
NIL		

## **Data Fixes**

Number and details of incidents requiring data fixes.


ID	Description	Severity	Response
NIL			

## **Schedule of Issues Raised**

A summary of issues raised during the month.

ID	Description	Severity	Response
NIL			


#### **Database Transactions Production**



#### **Transaction Volumes**

Transaction name	This Month	Last Month	Percentage Change
All Transactions	13,555,756	14,476,899	-6%

## **Database Size Production (GB)**



#### **Database Growth**

Class	This Month MB	Last Month MB	Change MB
Database	978,322	974,218	4,104
Non-database	161,360	126,400	34,960
Total	1,139,682	1,100,618	39,064

## **Service Disruptions (Production)**

Scheduled outages are excluded from the calculation of the Availability Percentage.

Performance Measure	
Availability	100%
Number of Scheduled Outages	1
Number of Unscheduled Outages	0
Last Unscheduled Outage	May2021

## **Application Release Activities**

Day	Detail	Authoriser

#### **Other Activities**

Day	Detail	Duration hh/mm	Authoriser
30Jan22 03:00 – 03:33	Microsoft patching production	00:33	Nicole Gagnon

## **Backup Performance Production**

The backup requirements were met this month.

Backup Type	Run days	Run Time	Expected Duration hh/mm
Disk	ALL	20:00	01:00
Таре	ALL	01:00	05:00

## **Electricity Authority Contact Information**

Contact for day-to-day procedures or any unexpected events.

Contact Name / Role	Contact Details
Commercial Manager Market Operations	Peter Taylor
	P: 04 460 8866
	M: 027 281 7672
	E: Peter.Taylor@ea.govt.nz

## **Automated Fault Escalation Profiles – Priority A Incidents**

In the event of a "priority A incident" where the hardware or the application has an unscheduled outage the Electricity Authority has advised that escalation via email or text is not required.

However, if there is an unusually long outage impacting participants, Peter Taylor requires to be contacted.

## **Status of Functional Specification**

(i.e., a report on the status of the functional specification);

Version 22.36 released to UAT and Production 28th November 2021.

#### Status of CR's and SDA's

(i.e., a summary report of the status of all CRs and SDAs);

CR Identifier	Description	Status
CR-1195	Distributor switching	On hold. Awaiting results of Authority consultation
CR-1196	Switch Breach Inquiry screen	On Hold. Low priority.
CR-1197	EIEP hub access for non-participants	On hold. Authority: pending consultation with interested parties.
CR-1206	ATH installation reporting	On hold. The Authority to determine if it is required.
CR-1208	Integrate EIEP 5A into the Registry	With the Authority to finalise format.
CR-1222	Inquiry only restful web services	Approved. With Jade to write technical solution proposal.
CR-1229	Send registry files to participant file server	On Hold. Jade has sent questionnaire to the Authority to email to participants.
CR-1234	Advanced Registry Training Course Material	Jade has completed initial cut of their sections. With the Authority to complete their sections prior to workshop in Christchurch.
CR-1250	Real-time Data Synchronization – White Paper	Approved. With Jade to write white paper.
CR-1251	EIEP Transfer Hub – White Paper	Approved. With Jade to write white paper.
CR-1253	Loss Category Code reserved for internal use	Released in 21.06
CR-1254	ICP Identifier Validation	Released in 21.05
CR-1255	Batch load of loss factor code	Solution proposal in progress

CR-1256	Trader Default Technical and User documentation	Draft technical documentation with Authority for review.
CR-1257	Trader Default software changes	Draft solution proposal with Authority for review.
CR-1258	Alert notices to participants	Released in 21.07
CR-1259	(Config) Reserved for internal use.	Released in 21.06
CR-1260	Remove Automated Logon	Released to the dedicated secure test system (marSreg) 01/10/2021 Release pending to UAT and Production
CR-1261	(Config) Disable TLS protocols 1.0 and 1.1	Released to the dedicated secure test system (marSreg) 01/10/2021 Release pending to UAT and Production
CR-1262	(Config) Disable iframes Response Headers	Released to the dedicated secure test system (marSreg) 01/10/2021 Release pending to UAT and Production
CR-1263	Password Enhancements 2021	Released in 21.11
CR-1264	Terms of Use Acceptance	Released in 21.11
CR-1265	ATH Validity at Certification Date	Documents with the Authority

## **Design Consultation**

This is outside the normal CRs and pertains more to design work required by market design.

#### Design consultation chargeable hours

Resource	Hours this month	Hours to date – since 01 May 2017
ACCES (MD-1212) – Project Management/Architect/Consultant/Designer	0.0	90.50
Prohibit Saves and Winbacks (MD-1233) – Project Management/Architect/Consultant/Designer	0.0	26.25
Total	0.0	116.75

#### **Provider initiated Audits**

(i.e., essentially the annual audits. Also, any other audit (relevant to the registry) Jade has initiated. Does not include CRs).

An audit was carried out by Grant Thornton New Zealand Ltd in March 2021.

#### **Breaches**

There were no breaches reported this month.

### **Code Changes to be considered**

(i.e., events that may highlight an area where a change to the Code may need to be considered);

## **User Group Meetings**

(i.e., a summary of any user group meetings held and the items discussed);

The most recent user group meeting was on 12 November 2020.

.

#### **AGREED PROCEDURES**

#### **Change Control**

All significant changes will be notified to the Electricity Authority, and a Tracker work request will be created to record authorisation, schedule, and implementation detail.

Change requests must be approved within 1 month of the request being submitted.

In exceptional circumstances, for example where Jade Care consider server integrity to be under significant and immediate threat, changes may be applied with little or no notice.

#### **Application Release Authorisation**

Releases are automated through the Jade Care toolset. Submission and authorisation are separate functions, and the authorisation facility may be extended to the Electricity Authority or may be applied by the Client Service Manager where the Electricity Authority chooses not to use this facility.

#### **Application Restarts**

Requests for restart of applications or servers must be made in writing. In exceptional circumstances, and where the requestor is known to Jade Care staff, a verbal request may be sufficient, provided it is confirmed in writing shortly after the request is made.

#### **Hardware Fault Reporting**

SNMP traps will be enabled for all servers. Traps will result in alerts being raised at Jade Care and Tracker incident records being created. Automated escalation can be applied to these calls to alert the Electricity Authority and third parties to the event.

Arrangements may be put in place to allow Jade Care to contact hardware service organisations directly in the event of hardware issues. Contact and call identification details will be required as a prerequisite to implementation.

#### **Anti-Virus Product**

Anti-virus product is installed on all managed servers. Engine and pattern updates are applied on receipt, and full scans are run weekly.

### **Recovery Procedures**

#### Application Recovery

The environments are set up to perform automatic application recovery in the event of a server undergoing a non-scheduled restart.

If there is a physical failure on the hardware where the VM is hosted on, the VM will be moved to a different physical VMware host. In the event of a catastrophic site failure, an SDS takeover will occur to the DR site upon approval by the Electricity Authority.

#### Server Recovery

Server recovery should never take place unless agreed by the Electricity Authority, Jade Care and hardware service representatives.

If a server operating system needs to be rebuilt, Central Systems will assist the onsite technician in rebuilding the server configuration and operating system to a state where Jade Care access is restored. Recovery of the full configuration, the applications and other third party software will be undertaken by Jade Care.

#### **Server Integrity**

The Electricity Authority servers are configured and maintained to Jade Care standards. This configuration is critical to the operation of the process automation and monitoring software.

It is essential that all changes to the server or application software is either performed by, or with the fore-knowledge and agreement, of Jade Care.

#### Reporting

#### Systems Management Report

This systems management report is to be provided by email to customer staff as advised. The target date for delivery is the 10th business day of the month following the calendar month to which the report relates.

#### **Incident Reports**

An incident report will be prepared for each unscheduled outage and will be emailed to customer staff as advised from time to time within 3 working days of any outage. These reports relate only to those items managed by Jade Care; e.g. network issues and hardware failures will not be subject to a report.

#### Jade Care Recommendations

Where Jade Care has recommendations for changes to hardware or the operating environment, these recommendations will be submitted to the Electricity Authority management. Implementation of such recommendations will be formalised through the change control process and documented through the systems management report in summary form.

#### Software Licences and Media Storage

All software media and licences must be kept in secured storage in reasonable proximity to the servers.

#### **Personnel and Contact Details**

The Electricity Authority must advise Jade Care of changes in personnel and contacts details where individuals are named as direct contacts. Fault escalations are pre-defined and automated to individual email addresses and SMS capable devices. Leave coverage and personnel changes must be advised for these functions to be effective.