## Compliance Plan Dunedin City Council DUML 2022

Deriving submission information					
Non-compliance	Description				
Audit Ref: 2.1	43 lights not included in the monthly report to Mercury.				
Clause 11(1) of	Potential impact: Medium				
Schedule 15.3	Actual impact: Low				
	Audit history: Multiple times				
From: 01-Oct-22	Controls: Moderate				
To: 30-Nov-22	Breach risk rating: 2				
Audit risk rating	Rationale for audit risk rating				
Low	The controls are rated as moderate because there is scope to incorporate checks for missing data.				
	The impact is assessed to be low, based on the kWh differences described above.				
Actions taken to resolve the issue		Completion date	Remedial action status		
Dunedin CC have advised that they missed these lights because they were unconnected with no energy consumption recorded in their Planet 'Central Management System' and a few got replaced. They are investigating and will make the appropriate updates to have these lights added to Planet.		March 2023	Investigating		
Preventative actions taken to ensure no further issues will occur		Completion date			
Dunedin CC is aware of the importance of keeping their information accurate and this issue has been taken as a reminder.		Ongoing			

Volume information accuracy					
Non-compliance	Description				
Audit Ref: 3.2	43 lights not included in the monthly report to Mercury.				
Clause 15.2 and	Potential impact: Medium				
15.37B(c)	Actual impact: Low				
	Audit history: Multiple times				
From: 01-Oct-22	Controls: Moderate				
To: 30-Nov-22	Breach risk rating: 2				
Audit risk rating	Rationale for audit risk rating				
Low	The controls are rated as moderate because there is scope to incorporate checks for missing data.				
	The impact is assessed to be low, based on the kWh differences described above.				
Actions taken to resolve the issue		Completion date	Remedial action status		
Dunedin CC have advised that they missed these lights because they were unconnected with no energy consumption recorded in their Planet 'Central Management System' and a few got replaced. They are investigating and will make the appropriate updates to have these lights added to Planet.		March 2023	Investigating		
Preventative actions taken to ensure no further issues will occur		Completion date			
Dunedin CC is aware of the importance of keeping their information accurate and this issue has been taken as a reminder.		Ongoing			