



Electricity Authority

Service Report and User Guide

March 2026

Prepared by Jade Managed Services

Jade Software Corporation Limited cannot accept any financial or other responsibilities that may be the result of your use of this information or software material, including direct, indirect, special or consequential damages, or loss of profits. There are no warranties extended or granted by this document or software material.

You should be very careful to ensure that the use of this software material and/or information complies with the laws, rules, and regulations of the jurisdictions with respect to which it is used. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Jade Software Corporation Limited.

The information contained herein is subject to change without notice. Revisions may be issued to advise of such changes and/or additions.

© 2026 Jade Software Corporation Limited.

All rights reserved.

JADE is a trademark of Jade Software Corporation Limited. All trade names referenced are the service mark, trademark, or registered trademark of the respective manufacturer.

Table of Contents

- Service Report..... 4
 - Current Service Status 4
 - Data Safety and Resilience 7
 - Production System Performance 7
 - Electricity Authority Reporting 9
- AGREED PROCEDURES..... 16
 - Anti-Virus Product 17
 - Recovery Procedures..... 17
 - Server Integrity 18
 - Reporting..... 18
- Jade Care Recommendations..... 18
- Software Licences and Media Storage 18

Service Report

Current Service Status

SLA Achievement

Measurement	Requirement	Result	Result Expanded	Ref
Number and detail of service Provider Code or agreement breaches and details	Report delivered to Authority detailing breaches	✓		Schedule 2 Non-functional requirements 5.2 table 1
Disaster recovery and backup obligations		✓		Schedule 2 Non-functional requirements Section 7 (7.1 and 7.4)
Number and details of participant rule breaches	Report on 1 st business day delivered to Authority SFTP directory	✓	01 April 2026, 03:48	
Maximum number of concurrent users for month		✓	835	Schedule 2 Non-functional requirements 2.7
During regular service hours (0730 hours to 1930 hours each day), the provider must ensure that the system is available to participants for no less than 99.9 per cent of the time in any one month. This statistic considers that planned, pre-approved, non-urgent maintenance outages are not included in the calculation of availability		✓	100%	Schedule 2 Non-functional requirements 5.2 table 1
Outside regular service hours (between 1930 hours and 0730 hours) the provider must ensure that the system is available to participants for no less than 98.0 per cent of the time in any month. This statistic considers that planned outages will not count against availability level targets.		✓	100%	Schedule 2 Non-functional requirements 5.2 table 1
The Registry must use its best endeavours to provide a service availability of 99.8 per cent or better, with nil or minimal outages.		✓	99.68%	

Measurement	Requirement	Result	Result Expanded	Ref
<p>Unless otherwise approved in writing in advance by the Authority (such timely approval not to be unreasonably withheld) there must be no more than two planned outages per month, one of which is reserved for the monthly production release of software. Each planned outage must be at a time to be agreed by the parties and be no more than 2 hours in duration. Any planned outage of more than 2 hours duration must have the prior approval of the Authority, such timely approval not to be unreasonably withheld.</p> <p>Approved, pre-planned outages do not count against service level targets.</p>		✓	<p>1) Deploy of Release 26_03 to marPreg on Sunday March 22nd at 03:00</p> <p>2) MS Patches applied to MARAKLS3, CNWAKLS405 on Saturday March 28th at 03:00</p>	Schedule 2 Non-functional requirements 5.3
Service response time of transactions sampled at regular intervals (every 1–5 minutes as agreed between the Authority and the Provider) during regular service hours for the system at the delineation point of the system to external communications providers		✓		Schedule 2 Non-functional requirements 5.2 table 1
<p>96% of all sampled transactions will have a response time of less than 2 seconds for all the components managed by the system at the delineation point of the Registry network.</p> <p>Longest time period in seconds</p> <p>Percentage of transactions exceeding 2 seconds</p>		✓	<p><2 =99.84%</p> <p>151.98</p> <p>0.16%</p>	Schedule 2 Non-functional requirements 5.2 table 1
<p>90% will have a response time of less than 1 second for all the components managed by the system at the delineation point of the Registry network</p> <p>Percentage of transactions exceeding 1 second</p>		✓	<p><1 =99.37</p> <p>0.63%</p>	Schedule 2 Non-functional requirements 5.2 table 1
<p>Number of password lockout alerts.</p> <p>Investigation of all repeated lockout alerts required.</p>		✓	0	Schedule 2 Non-functional requirements 25.1 (n)
Help desk available	7:30 to 19:30 hours each business day	✓	100%	Clause 11.20

Measurement	Requirement	Result	Result Expanded	Ref
Registry reports to participants day 1 09:00	09:00 hours on the first business day of the month	✓	31 March 2026, 21:51	Clause 11 of Schedule 11.1
Issuing of confirmation notices within 4 hours of receipt of information provided		✓		Clause 11.21
Number of ICP's changing traders	16:00 on the 6 th business day of the month	✓		Clause 11.23
Such other information as may be agreed from time to time between the Registry and the Board	16:00 on the 6 th business day of the month	✓		Clause 11.23
Reports to the clearing manager and systems manager by 16:00 on first business day of the month	16:00 on first business day	✓	01 April 2026, 01:07	Clause 11.24
By 16:00 on 4 th business day deliver to the reconciliation manager the ICP days report	16:00 on 4 th business day	✓	08 April 2026, 01:29	Clause 11.26
By 16:00 on 4 th business day deliver to the reconciliation manager the loss factors report	16:00 on 4 th business day	✓	02 April 2026, 00:00	Clause 11.26
By 16:00 on 4 th business day deliver to the reconciliation manager the balancing area report	16:00 on 4 th business day	✓	02 April 2026, 00:00	Clause 11.26
By 16:00 on 4 th business day deliver to the reconciliation manager the half hour identifiers report	16:00 on 4 th business day	✓	08 April 2026, 06:13	Clause 11.26
By 16:00 on 1 st business day deliver to the market administrator (Authority) a report summarising events that have not been notified to the Registry with specified time frames	16:00 on 1 st business day	✓	01 April 2026, 00:01	Clause 11.27
Notifications or change within the Registry to participants affected	Same day	✓		Clause 11.29
Registry to publish Schedule of loss category code and loss factors	Within one day of notification of change	✓		Clause 22 of Schedule 11.1
Registry to publish Schedule of mapping between NSP's and balancing areas	Within one business day of notification of change	✓		Clause 24 of Schedule 11.1
Registry to publish Schedule of all NSP identifiers and supporting information	Within one business day of notification of change	✓		Clause 30 of Schedule 11.1

Data Safety and Resilience

Backup Operations

Backup Type	Run days	Start Time	Expected Duration	Failed this Period
Disk	ALL	19:00	01:00	0
Tape	ALL	01:00	05:00	0

Production System Performance


Unscheduled Outages

Day	Ref	Detail	Outage Duration


Scheduled Outages

Day	Ref	Detail	Outage Duration	Authorised By
22Mar26 03:00 – 03:36	1270074	Deploy of Release 26_03 to MARPREG	0:36	J. Trevathan
28Mar26 03:00 – 03:20	1262612	MS Patches applied to MARAKLS3, CNWAKLS405	00:20	Simon Procter

Instrumented Transactions



Database Size



Electricity Authority Reporting

Adhoc Reporting Statistics

Report	Run	Complete	Average time (seconds)
DER Maintenance	842	842	0.3
Distributor Maintenance	4328	4328	1.1
Metering Maintenance	1167	1167	8.9
NSP Mapping Maintenance	34	34	7.5
Planned ICP Service Interruption	2944	2944	1.7
Report - Active NSPs List	1	1	488.4
Report - Audit Compliance	274	274	994.8
Report - Breach Current	362	362	0.8
Report - Current Details	109	109	773.8
Report - Event Detail	37116	37116	123.8
Report - File Audits	1	1	24.8
Report - File Handler Status	7	7	0.1
Report - ICP List	7217	7217	453.0
Report - Loss Factor Codes	190	190	7.7
Report - Metering Installation Information	873	873	1017.8
Report - Missing Metering Data	2	2	352.7
Report - NSP Mappings	95	95	4.1
Report - Switch Breach History	99	99	15.0
Request - Notify Resend	31	31	0.5
Request - Switch Resend	5	5	65.5
Switch AC	442	442	0.2
Switch AN	15927	15927	0.3

Report	Run	Complete	Average time (seconds)
Switch AW	2265	2265	0.6
Switch CS	14518	14518	1.5
Switch MN	273	273	1.0
Switch NT	41226	41226	0.3
Switch NW	2293	2293	0.3
Switch RR	629	629	0.2
Trader Maintenance	3258	3258	3.2
Totals	136528	136528	67.3
Number of Reports successfully Re-Processed	21		

Batch File Statistics

Total	Complete	Completed by 07:30	Not completed by 07:30
134053	134053	134053	0

Details of Batch File Reports not completed by 07:30

Provider Code or agreement breach

Date	Number and detail of Provider Code or agreement breaches and details (ref Schedule 2 Non-functional requirements 5.2 table 1)

Other Information

The following reports/files are supplied to the Authority by the 6th business day of each month (unless otherwise specified) to the SFTP server:

- ICP's electrically connected, electrically disconnected, decommissioned and switched by Retailer and NSP
- ICP's electrically connected, electrically disconnected, decommissioned and switched by Retailer
- ICP's electrically connected, electrically disconnected, decommissioned and switched by Distributor
- Report PR-130 as defined in functional specification
- Details of participant rule breaches (supplied on first business day)
- Details of participant switch breaches (supplied on first business day)

Business Continuity Plan Test

The following annual tests were completed in April 2025 (Jade Tracker #1195546 refers);

1. Placing 2 test calls to the people below advising them that this is a test call to confirm their ability to be contacted in a Business Continuity event

a) Peter Taylor - Commercial Manager - 04 460 8866 or 027 281 7672 (Alternative is Simon Procter)

b) Jade BCM Manager.

2. Have a Jade Developer log in from home to confirm connectivity.

Summary of Incidents

There were no incidents.

Software Related Fixes and Enhancements

ID	Description	Response
Er-1649	Reports PR090/120/160/270 did not correctly transcribe user reference to the output file (when initiated online)	Release 26_03
Er-1650	The Admin app provides the ability to command a “Run Now” for automated scheduled reports. This did not function correctly for annual (once per year) reports if the execution year (as calculated by the report scheduler) was greater than the current year.	Release 26_03

Data Fixes

Number and details of incidents requiring data fixes.

ID	Description	Severity	Response
----	-------------	----------	----------

Schedule of Issues Raised

A summary of issues raised during the month.

ID	Description	Severity	Response
ER-1659	Distributed generation fields	Medium (Priority C)	Submitted
ER-1658	Enable generation of training data from a jadescription	Medium (Priority C)	Verification Pending
ER-1657	Registry reports: PR030 DER output looks odd	Medium (Priority C)	Submitted
ER-1656	Add profile code MSL to upgrade agent (refer tracker 1268956)	Medium (Priority C)	Closed
ER-1655	API: REST DTO object has incorrectly named property	Medium (Priority C)	Verification Pending
ER-1654	New profile code MSL	Medium (Priority C)	Submitted
ER-1653	Admin app creating compensation factor (static data) using wrong class	Low (Priority I)	Closed
ER-1652	New Compensation factors loaded	Medium (Priority C)	Closed

Application Release

Day	Version	Authorised By
22Mar26	Deploy of Release 26_03 to marPreg	J. Trevathan

Change Control

Date	Authorised By	Detail
19Mar26	Simon Procter	MS Patches applied to MARCHCS3
21Mar26	Simon Procter	MS Patches applied to MARCHCS1, CNWCHCS405
28Mar26	Simon Procter	MS Patches applied to MARAKLS3, CNWAKLS405

Status of Functional Specification

(i.e., a report on the status of the functional specification);
Version 22.44 released to UAT and Prod 27 August 2025

Status of CR's and SDA's

(i.e., a summary report of the status of all CRs and SDAs);

CR Identifier	Description	Status
CR-1196	Switch Breach Inquiry screen	On hold. Low priority.
CR-1256	Trader Default Technical and User documentation	On hold. In CR development, not signed off yet. With Authority for review.
CR-1257	Trader Default software changes	On hold. In CR development, not signed off yet. With Authority for review.
CR-1260	Remove Automated Logon	Released to the dedicated secure test system (marSreg) 01/10/2021 Release pending to UAT and Production

Design Consultation

This is outside the normal CRs and pertains more to design work required by market design.

Design consultation chargeable hours

Resource	Hours this month	Hours to date
	0.0	0.0
Total	0.0	0.0

Provider initiated Audits

(i.e., essentially the annual audits. Also, any other audit (relevant to the registry) Jade has initiated. Does not include CRs).

- An audit was carried out by Grant Thornton New Zealand Ltd in February 2026.

Breaches

There were no breaches reported this month.

Code Changes to be considered

(i.e., events that may highlight an area where a change to the Code may need to be considered);

User Group Meetings

(i.e., a summary of any user group meetings held, and the items discussed);

The most recent user group meeting was on 29th July 2025

AGREED PROCEDURES

Change Control

All significant changes will be notified to the Electricity Authority, and a Tracker work request will be created to record authorisation, schedule, and implementation detail.

Change requests must be approved within 1 month of the request being submitted.

In exceptional circumstances, for example where Jade Care consider server integrity to be under significant and immediate threat, changes may be applied with little or no notice.

Personnel and Contact Details

The Electricity Authority must advise Jade Care of changes in personnel and contacts details where individuals are named as direct contacts. Fault escalations are pre-defined and automated to individual email addresses and SMS capable devices. Leave coverage and personnel changes must be advised for these functions to be effective.

Application Release Authorisation

Releases are automated through the Jade Care toolset. Submission and authorisation are separate functions, and the authorisation facility may be extended to the Electricity Authority or may be applied by the Client services manager where the Electricity Authority chooses not to use this facility.

Application Restarts

Requests for restart of applications or servers must be made in writing. In exceptional circumstances, and where the requestor is known to Jade Care staff, a verbal request may be sufficient, provided it is confirmed in writing shortly after the request is made.

Database Refreshes

This process applies when the Electricity Authority require a 'refresh', or copy, of data from one system to another (typically from Production to Test, often performed before an upgrade).

All refresh requests should be made by email or direct Tracker to Jade Care Central Systems (csystems@jadeworld.com) and with a copy to the CSM contact. If urgent, please follow up with a phone call to Central Systems.

Unless otherwise stated the refresh will use the most recent backup of the source system. I.e., The production backup occurs at 19:00. If a refresh request is made at 21:00 it will use the 19:00 backup from the previous day, as this is the most recent backup available. If you require the most up to date data please either schedule refreshes to occur shortly after the production backup or request an ad-hoc backup as part of the refresh request.

Following a successful database refresh from Production, database masking will take place to ensure the client data remains secure.

NB Where the source system has automated or scheduled functions embedded in the system, care must be taken to ensure these settings are adjusted in the target system before the target system is started to avoid processes in test corrupting production data or interacting with external systems.

The following minimum information should be provided:

- Start Date/Time
- Time Zone (if no time zone specified local server time will be assumed)
- Latest completion date/time
- Action to take if Refresh completion time is not met
- Source (from) Environment
- Target (To) Environment
- Whether an ad-hoc backup of the target environment is required before the refresh?
- List of Contacts to notify by email on completion
- Applications to be started in the target environment after the refresh completes

Hardware Fault Reporting

SNMP traps will be enabled for all servers. Traps will result in alerts being raised at Jade Care and Tracker incident records being created. Automated escalation can be applied to these calls to alert the Electricity Authority and third parties to the event.

Arrangements may be put in place to allow Jade Care to contact hardware service organisations directly in the event of hardware issues. Contact and call identification details will be required as a prerequisite to implementation.

Anti-Virus Product

Anti-virus product is installed on all managed servers. Engine and pattern updates are applied on receipt, and full scans are run weekly.

Recovery Procedures

Application Recovery

The environments are set up to perform automatic application recovery in the event of a server undergoing a non-scheduled restart.

If there is a physical failure on the hardware where the VM is hosted on, the VM will be moved to a different physical VMware host. In the event of a catastrophic site failure, an SDS takeover will occur to the DR site upon approval by the Electricity Authority.

Server Recovery

Server recovery should never take place unless agreed by the Electricity Authority, Jade Care and hardware service representatives.

If a server operating system needs to be rebuilt, Central Systems will assist the onsite technician in rebuilding the server configuration and operating system to a state where Jade Care access is restored. Recovery of the full configuration, the applications and other third party software will be undertaken by Jade Care.

Server Integrity

The Electricity Authority servers are configured and maintained to Jade Care standards. This configuration is critical to the operation of the process automation and monitoring software.

It is essential that all changes to the server or application software is either performed by, or with the fore-knowledge and agreement, of Jade Care.

Reporting

Systems Management Report

This systems management report is to be provided by email to customer staff as advised. The target date for delivery is the 10th business day of the month following the calendar month to which the report relates.

Incident Reports

An incident report will be prepared for each unscheduled outage and will be emailed to customer staff as advised from time to time within 3 working days of any outage. These reports relate only to those items managed by Jade Care; e.g. network issues and hardware failures will not be subject to a report.

Jade Care Recommendations

Where Jade Care has recommendations for changes to hardware or the operating environment, these recommendations will be submitted to the Electricity Authority management. Implementation of such recommendations will be formalised through the change control process and documented through the systems management report in summary form.

Software Licences and Media Storage

All software media and licences must be kept in secured storage in reasonable proximity to the servers.