

## APPENDIX A: REGRESSION ANALYSIS

The Electricity Authority's monitoring team has developed a daily regression price model. The purpose of the model is to understand the drivers of the wholesale spot price and if outcomes are indicative of effective competition. Results from this model are included in the [weekly trading conduct reports](#).

### 1. Daily regression price model

- 1.1. This model estimates the daily average spot price based on daily storage, demand, gas price, wind generation, the HHI for generation (as a measure of competition in generation), the ratio of offers to generation (a measure of excess capacity in the market), a dummy variable for the period since the 2018 unplanned Pohokura outage started, and the weekly carbon price (mapped to daily). The units for the raw data are as following: storage and demand are GWh, spot price is \$/MWh, gas price is \$/PJ, and wind generation is MW, carbon price is in New Zealand Units traded under NZ ETS, \$/tonne.
- 1.2. We used the Augmented Dicky-Fuller (ADF) to test all variables to see if they are stationary. If not, we tested the first difference and then the second difference using the ADF test until the variable was stationary. The first difference of a time series is the series of changes from one period to the next. For example, if the storage is not stationary, we use  $storage_t - storage_{t-1}$ .
- 1.3. We fitted the data using a dynamic regression model with Autoregressive with five lags (AR(5)). Dynamic regression is a method to transform ARIMAX (Autoregressive Integrated Moving Average with covariates model) and make the coefficients of covariates interpretable.
- 1.4. Once we dropped the insignificant variables; the ratio of offers to generation, the dummy variable for 2018 and carbon price, we got the following model, where diff is the first difference:

$$y_t = \beta_0 - \beta_1(storage_t - 20.year.mean.storage_{monthofyear}) + \beta_2diff(demand_t) - \beta_3 wind.generation_t + \beta_4 gas.price_t - \beta_5diff(generation HHI_t) + \eta_t$$

$$\eta_t = \varphi_1\eta_1 - \varphi_2\eta_2 + \varphi_3\eta_3 + \varphi_4\eta_4 + \varphi_5\eta_5 + \varepsilon_t$$

- 1.5.  $\varepsilon_t$ , the residuals of ARMA errors (from AR(5)), should not significantly different from white noise. Ideally, we expect the ARIMA errors are purely random, and are not correlated with each other (show no systematic pattern). ARIMA errors equals  $y_t$  minus the estimate  $\hat{y}$  with their five time lags.